


**Application Reference:** VAR/2020/37

**Applicant:** Mr. Richard Parry

**Description:** Cais o dan Adran 73 i ddiwygio amod (01) o caniatad cynllunio rhif 19C845J/VAR (Lleoli clwb a siop dros dro) ar gyfer adnewyddu y caniatad am 5 mlynedd pellach yn / Application under Section 73 for the variation of condition (01) of planning permission reference 19C845J/VAR (siting of temporary club and shop) to renew the planning application for a further 5 years at

**Site Address:** Clubroom and Club Shop, Cae Annar Leisure Centre, Kingsland Road, Holyhead



## Report of Head of Regulation and Economic Development Service (Gwen Jones)

**Recommendation:** Caniatáu / Permit

### Reason for Reporting to Committee

The application is presented to the Planning Committee as the land is owned by the Isle of Anglesey County Council.

### Proposal and Site

The application is a Section 73 application for variation of condition (01) of planning permission reference 19C845J/VAR (siting of temporary club and shop) to renew the planning application for a further 5 years at Holyhead Hotspur, Kingsland Road, Holyhead.

## Key Issues

The key issue is whether the development complies with relevant policies of the Joint Local Development Plan, whether the application has an impact upon the Area of Outstanding Natural Beauty and adjacent residential properties.

## Policies

### Joint Local Development Plan

Policy PCYFF 2: Development Criteria

Policy AMG 1: Area of Outstanding Natural Beauty Management Plans

Policy ISA 2: Community Facilities

### Response to Consultation and Publicity

Consultee	Response
Cynghorydd Dafydd Rhys Thomas	No response at the time of writing the report.
Cynghorydd John Arwel Roberts	Support application.
Cynghorydd Trefor Lloyd Hughes	No response at the time of writing the report
Cyngor Tref Caergybi / Holyhead Town Council	No response at the time of writing the report.
Cyfoeth Naturiol Cymru / Natural Resources Wales	Comments
Ymgynghorydd Tirwedd / Landscape Advisor	Comments
Prifffyrdd a Trafnidiaeth / Highways and Transportation	No comments
Adain Eiddo / Property Section	Comments

The proposal has been advertised through the distribution of personal letters of notification to the occupiers of neighbouring properties. The latest date for the receipt of any representation was the 23/07/2020. At the time of writing this report, no letter of representation had been received at the department.

### Relevant Planning History

19C845 - Siting of a spectators shelter at The New Oval, Holyhead Leisure Centre, Holyhead. Approved - 04/03/2004

19C845A - Change of use of land for the siting of a pre-fabricated building to be used as a clubhouse at Holyhead Leisure Centre, Holyhead. Approved 27/07/2006

19C845B - Construction of a physio room under the spectators stand to The Oval, Holyhead Leisure Centre, Holyhead. Approved 14/04/2008

19C845C - Retention of alterations and extensions to Clubhouse, The Oval, Holyhead Leisure Centre, Holyhead. Approved 16/01/2009

19C845D - Application to erect a covered standing spectator area at Holyhead Leisure Centre, Kingsland, Holyhead. Approved 08/04/2010

19C845E - Application for the variation of condition (01) on planning permission 19C845A to allow for an extension to the period for the siting of the clubhouse at The Oval, Holyhead Leisure Centre, Kingsland, Holyhead. Approved 16/08/2011

19C845F - Application for the variation of condition (01) on planning permission 19C845C to allow for an extension to the period for retaining the extensions to the clubhouse at The Oval, Holyhead Leisure Centre, Kingsland, Holyhead. Approved 16/08/2011

19C845G - Retrospective application for the retention of the extension to the clubhouse at Holyhead Hotspurs Clubhouse, Holyhead Approved 22/01/2013

19C845H - Full application for the siting of a portacabin on the site for use as a football club merchandise shop at Holyhead Hotspurs Clubhouse, Holyhead Approved 04/08/2015

19C845J/VAR – Renewal of planning application 19C845e so as to extend the permission for a further 5 years at Holyhead Hotspurs, Holyhead – 7/6/16 - Approved

### **Main Planning Considerations**

The proposal is for the extension for the siting of the existing porta cabin approved under planning reference 19C845J/VAR for a further 5 years. Under the existing planning permission the existing porta cabin will have to be removed by 31/07/2021.

The existing porta cabin is located within the existing football club which is secured by a high security fence.

### **Policy Consideration**

Policy ISA2: Community Facilities aims to protect existing community facilities and encourage the development of new facilities where appropriate. Local leisure and community facilities are important to the health, social, educational, linguistic and cultural needs of the plan area, as well as its economic well-being.

### **Area of Outstanding Natural Beauty (AONB)**

Policy AMG1 states that proposals within or affecting the setting and/or significant views into and out of the AONB must, where appropriate, have regard to the AONB's Management Plan. The proposed building is within the AONB at the edge of countryside/agricultural land. The building is located between a number of other club buildings near the leisure centre. It is a low flat roofed building is painted/clad in a blue, similar to some of the other external finishes on site. While visible from the leisure centre carpark, it is not visible, or of lower visibility from AONB summer road views than the adjacent buildings and lighting columns.

Given the restricted visibility, the proposal would not affect natural beauty, AONB features or special qualities related to landscape. This is a functional rather than aesthetic building where the strong colours which identify the building increase visibility. Given the nature and location of the structure alternative materials or landscaping are not possible. Policies would encourage colours that better integrate into the rural context; however, the colour of the building matches the football club's official colour.

### **Affect on nearby Residential Properties**

It is not considered that the application will have a negative impact upon the amenities of adjacent residential properties due to the distance away from nearby residential properties. It is considered that the development complies with the requirement of Policy PCYFF2.

## **Conclusion**

The club and shop is required in order that the Holyhead Hotspurs Football Club can continue. The club has many young people attending which receive healthy recreation and the existing infrastructure is essential for the continuation of the club.

It is considered that the application complies with Policy ISA2 of the Joint Local Development Plan where community facilities are encouraged. The application site is located within the AONB; however, it is not considered that the proposal will have any impact upon the AONB. It is not considered that the proposal has any negative impact upon the amenity of adjacent residential properties.

## **Recommendation**

**(01)The building hereby approved shall be removed from the land by the 05/08/2025 and the land reinstated to its former condition by the 30/09/2021.**

Reason: The local planning authority have granted permission for a temporary period only as they wish to re-consider the position on the 05/08/2025 in the light of circumstances prevailing at that date.

**(02) The development permitted by this consent shall be carried out strictly in accordance with the plan(s) submitted, except as required under the conditions imposed under planning application reference VAR/2020/37.**

- **Location Plan & Block Plan – 1862-A3-01**
- **Existing Elevations – 1862-A3-02**
- **Existing Floorplans – 1862-A3-03**
- **Existing Floorplan and Elevations – 1862-A3-04**

Reason: For the avoidance of doubt

In addition the Head of Service be authorised to add to, remove or amend/vary any condition(s) before the issuing of the planning permission, providing that such changes do not affect the nature or go to the heart of the permission/development.

**Applicant:** Horizon Nuclear Power Wylfa Limited

**Description:** Cais Adran 73 i amrywio amod (01) (Terfyn Amser) o gais 27C106E/FR/ECON (Cais llawn i wella'r briffordd gyfredol (yr A5025) rhwng y gyffordd ar yr A5 i'r dwyrain o'r Fali i'r Gyffordd wrth y Ffordd Fynediad i'r Orsaf Bwer arfaethedig mewn wyth o leoliadau ar wahân ynghyd ag ailadeiladu a lledu'r pafin presennol a'r gorffenwaith ar yr arwynebedd mewn mannau, gweithredu compownd adeiladu dros dro gan gynnwys cyfleuster dros dro ar gyfer ailgylchu pafinau, creu dau bwl teneuo a mynedfa ar gyfer cynnal a chadw, creu llwybrau beicio a gwyro rhai eraill am gyfnod dros dro, creu cyfleusterau parcio eraill yn sgil colli cilfan ynghyd â gwaith cysylltiedig arall gan gynnwys draenio, trin ffiniau, plannu, gosod arwyddion newydd a marciau ar hyd yr er mwyn ymestyn cyfnod gweithredu'r datblygiad am dair blynedd arall (hyd at 13 Gorffennaf 2023) ar hyd yr / Section 73 application to vary condition (01) of application 27C106E/FR/ECON (Full application for improvements to the existing highway (A5025) between A5 East of Valley Junction to the proposed Power Station Access Road Junction at eight separate locations together with reconstruction and localised widening of existing pavement and surface dressing, temporary construction compound including temporary pavement recycling facility, creation of 2 attenuation ponds and maintenance access, creation/temporary diversion of cycle routes, creation of alternative parking facilities to mitigate loss of lay by together with other associated works including drainage, boundary treatments, planting, new signage and road markings) so as to extend the implementation period of the development by a further three years (up to 13th July 2023) along the

**Site Address:** A5025 rhwng y Gyffordd ar yr A5 i'r Dwyrain o'r Fali i'r Orsaf Bwer yng Nghemaes /A5025 between A5 East of Valley Junction to Power Station Cemaes



**Recommendation:** Caniatáu / Permit

### **Reason for Reporting to Committee**

As the application includes land in ownership by the Isle of Anglesey County Council (IACC) it shall be referred to the Planning and Orders Committee for determination in accordance with the Council Constitution.

### **Proposal and Site**

The proposal is for the Variation of Condition 1 of planning application 27C106E/FR/ECON to extend the implementation period of the development by a further three years (up to 13th July 2023).

The Wylfa Newydd Project was suspended on the 17th January 2019 and consequently the applicant has not been able to implement the consent prior to its expiration on the 13th July 2020. A decision on the Wylfa Newydd Development Consent Order (DCO) is expected by the Secretary of State for Business, Energy and Industrial Strategy (BEIS) on the 30th September 2020.

As the applicant initially intended to undertake the on-line highway improvements in advance of the DCO grant, the on-line works have not been included within the DCO application. The applicant must therefore undertake the on-line highway improvements under this consent (or a new consent).

The on-line enhancements to the A5025 highway are necessary to address the physical and operational constraints that have been identified on this road and to mitigate the impact of the increased traffic flow that would be involved with the Wylfa Newydd development. The improvements will facilitate the construction of the wider power station whilst providing much needed improvements to the existing highway.

If the DCO is granted on the 30th September 2020, the applicant will have 6 years to implement the consent. The DCO Phasing Strategy, which forms part of the DCO's suite of Control Documents, confirms that the off-line highway improvements must be undertaken within the first 2 years of the implementation period. The Environmental Statement for the DCO is based on the on-line works being completed prior to the implementation of the off-line works.

In the event that the DCO is not granted or the Wylfa Newydd Project does not proceed, any works having been undertaken will remain in situ and any works yet to be carried out will be completed in accordance with the terms of a Section 278 agreement of the Highways Act between the authority and the applicant.

The applicant secured full planning permission for the on-line improvements works to the A5025 on the 13th July 2018. The A5025 On-line Highway Works permission comprises approximately of 16.19km of highway between A5 East of Valley Junction to the proposed Power Station Access Road Junction at eight separate locations. These are identified as

1. Section 1: A5 east of Valley junction to north of Valley Junction (A5/A5025)
2. Section 2: North of Valley Junction (A5/A5025) to north of Llanyngghenedl
3. Section 3: North of Llanyngghenedl to north of Llanfachraeth
4. Section 4: North of Llanfachraeth to south of Llanfaethlu
5. Section 5: South of Llanfaethlu to north of Llanfaethlu
6. Section 6: North of Llanfaethlu to north of Llanrhuuddlad
7. Section 7: North of Llanrhuuddlad to north of Cefn Coch
8. Section 8: North of Cefn Coch to proposed Power Station Access Road Junction.

## **Application description:**

Improvements to the existing A5025 between the A5 east of Valley Junction to the proposed Power Station access road Junction, to include reconstruction and localized widening of the existing pavement and application of a surface dressing. The proposals also comprise a temporary construction compound including a temporary pavement recycling facility, and other associated works such as drainage infrastructure, boundary treatments, planting, new signage and road markings.

The primary elements of the proposal are comprised as follows:

- i. Reconstruction and localised widening of existing pavement and surface dressing.
- ii. A temporary construction compound including temporary pavement recycling facilities.
- iii. Creation of 2 attenuation ponds and maintenance access.
- iv. Creation/temporary diversion of cycle routes.
- v. Creation of alternative parking facilities to mitigate loss of layby together with other associated works including drainage.
- vi. Boundary treatments, planting, new signage and road markings.

The proposed improvements seek to address physical and operational constraints on the stretch of the A5025 between Valley and the proposed Power Station Access Road Junction, south of Treglele.

The improvements are proposed in order to mitigate the predicted impacts of increased traffic associated with the construction and operation of the proposed Wylfa Newydd New Nuclear Build. It is considered that the A5025 Proposals will facilitate the wider Power Station construction whilst also providing much needed improvements to the existing highway.

In addition to the form of application, land ownership certificates, application plans and drawings, the following information were submitted as part of application 27C106E/FR/ECON;

- Planning Statement
- Pre-application Consultation Report
- Environmental Report (ER)
- Code of Construction Practice (CoCP)
- Design Approach & Landscape Strategy
- Flood Consequences Assessment
- Glossary & Abbreviations
- Protected & Legally Controlled Species Compliance Report
- Rapid Health Impact Assessment (HIA)
- Screening Statement (to inform Habitat Regulations)
- Water Framework Directive Compliance Assessment
- Environmental Statement (and Non- Technical Summary)
- Welsh Language Impact Assessment (WLIA)
- Proposed Development Summary
- Design and Access Statement (DAS)
- Welsh Language Report
- Key Plans & Location Plans

Following the outcomes of the Environmental Impact Assessment (EIA) Scoping Opinion (July 2020) for the A5025 Highway Improvements, it was accepted that an EIA would not be necessary for this proposal and subsequently was screened out of the application.

In addition to the WLIA submitted in support of planning application 27C106E/FR/ECON, the applicant has produced a Welsh Language Policy and a Welsh Language and Culture Mitigation and Enhancement Strategy, which is secured under the DCO application and s.106 Agreement.



## **Key Issues**

Whilst studies undertaken by the applicant in 2010 - 2011 identified that the stretch of the A5025 between Valley and the proposed Power Station access road has physical and operational constraints in relation to the roads width, alignment, overtaking opportunity and surface condition, the scale and nature of the application will inevitably raise a wide and diverse range of issues. The main points are as follows:

- i. Is there a Policy framework which supports the proposal.
- ii. Does the proposed development constitute 'Sustainable Development'.
- iii. Are there any specific environmental or technical constraints that would prevent the development of the highway taking place.
- iv. What are the impacts on residential amenity
- v. What are the transport implications on the highway network during the construction period
- vi. Will there be a change in landscape and visual amenity value as a result of the proposed works.

The IACC as Highways Authority has been involved in the formulation of this scheme through their involvement in the design and pre-application discussions. Extensive dialogue between the applicant, Local Authority Highways department and the residents has resulted in the provision of measures to prevent impact on residents through design and the provision of mitigation.

It is considered that the safety of residents will be improved as a result of the improvement works. The mitigation approach accords with the Institute of Environmental Management and Assessment guidance.

The visual amenity and boundary treatments will be equal to or an enhancement of that which currently exists. The applicant confirms the influence of the consultation process on the design of the scheme by stating that feedback received from public consultation has confirmed general support for the proposed A5025 On-line Highway Improvements and helped to improve aspects of the proposed construction process, footpath and cycle points and safe access from driveways onto the A5025.

Since the original application in 2018, the Highways Authority have confirmed that a SCANNER survey (Surface Condition Assessment for the National Network of Roads) has been undertaken on the A5025 between Valley and Cemaes in 2018 and a SCRIM survey (Sideway-force Coefficient Routine Investigation Machine) was undertaken in 2019.

Whilst the Highways Authority does not wish to invest significantly in the A5025 due to the highway improvements proposed by the applicant, the road surface is deteriorating and the Highways Authority have had to undertake essential maintenance on sections of the A5025 this year (2020). These are not significant works, they are however essential works until the more significant A5025 highways improvements are made as part of this application.

## **Policies**

This section sets out the main planning policy framework relevant to the consideration of the application for the A5025 online highway proposals.

Whilst this development itself is not for the development of a nuclear generating station, the applicant justifies the proposal on the grounds that it will enable the delivery of a new nuclear power station at Wylfa Newydd.

Section 38(6) of the Planning and Compulsory Act (2004) states that the statutory Development Plan will continue to be the starting point in the consideration of planning applications for the development or use of land. As such local planning authorities must determine planning applications in accordance with the statutory Development Plan, unless material considerations indicate otherwise.

If the Development Plan contains material policies or proposals and there are no other material considerations, the application should be determined in accordance with the Development Plan. Where



there are other material considerations, the Development Plan should be the starting point, and other material considerations should be taken into account in reaching a decision.

Emerging policies, in the form of draft policy statements and guidance, can be regarded as material planning considerations, depending on the context. Their existence may indicate that a relevant policy is under review; and the circumstances which have led to that review might have to be taken into account.

Local planning authorities may decide to grant planning permission for development which departs from a Development Plan if other material considerations indicate that it should proceed.

In the case of this application, the following policies are considered to be of most relevance;

### **National Policy Statements for Energy Infrastructure**

Overarching Energy National Policy Statement (EN-1: Part 3)  
National Policy Statement (EN-6) Nuclear Power Generation

### **Planning Policy Wales: Edition 10 (2019)**

#### **Active Travel (Wales) Act 2013**

**Technical Advice Note 5: Nature Conservation & Planning (2009)**  
**Technical Advice Note 6: Planning for Sustainable Rural Communities (2010)**  
**Technical Advice Note 11: Noise (1997)**  
**Technical Advice Note 12: Design (2014)**  
**Technical Advice Note 13: Tourism (1997)**  
**Technical Advice Note 15: Development & Flood Risk (2004)**  
**Technical Advice Note 16: Sport, Recreation & Open Space (2009)**  
**Technical Advice Note 18: Transport (2007)**  
**Technical Advice Note 20: Planning & The Welsh Language (2017)**  
**Technical Advice Note 21: Waste (2014)**  
**Technical Advice Note 23: Economic Development (2014)**  
**Technical Advice Note 24: The Historic Environment (2017)**

**Wales Spatial Plan - People, Places, Futures (Welsh Assembly Government, update 2008)**  
**Wales Transport Strategy - One Wales: Connecting the Nation**  
**Emerging National Transport Plan 2015 (consultation document 2014)**  
**North Wales Joint Local Transport Plan 2015 (JLTP)**  
**North Wales Regional Transport Plan (2009)**  
**Isle of Anglesey County Council Cycling Strategy (2014)**  
**The Isle of Anglesey Single Integrated Plan 2013 - 2025**  
**The Isle of Anglesey Area of Outstanding Natural Beauty (AONB) Management Plan Review (2015 - 2020)**  
**Anglesey Destination Management Plan (2016- 2020)**

### **Main Policies from the Anglesey and Gwynedd Joint Local Development Plan (2011 - 2026) (JLDP)**

Policy PS 9 Wylfa Newydd and Related Development  
Policy PS 19 Protecting and where Relevant Enhancing the Natural Environment  
Policy AMG 1: Area of Outstanding Natural Beauty Management Plans  
Policy AMG 3: Protecting and Enhancing Features and Qualities that are Distinctive to the Local Landscape Character  
Policy AMG 4 Coastal Protection  
Policy AMG 5: Local Biodiversity Conservation  
Policy AMG 6: Protecting Sites of Regional or Local Significance  
Policy PS 20: Preserving and where Appropriate Preserving Heritage Assets

Policy AT 1: Conservation Areas, World Heritage Sites and Registered Historic Landscapes, Parks and Gardens

Policy AT 3: Locally or Regionally Significant Non- Designated Heritage Assets

Policy PS 5: Sustainable Development Policy PS 1: Welsh Language and Culture Policy ISA 2: Community Facilities

Policy PS 6: Mitigating and Adapting to Climate Change Impacts

Policy TRA 4: Managing Transport Impacts

Policy ISA 1 Infrastructure Provision Policy PCYFF 4: Design and Landscaping

### **Wylfa Newydd: Supplementary Planning Guidance (SPG) (2018)**

The latest version of the Wylfa Newydd SPG was adopted on the 15th May, 2018.

### **Supplementary Planning Guidance - Design Guide for the Urban and Rural Environment**

### **Supplementary Planning Guidance-Parking Standards (2008)**

### **Supplementary Planning Guidance- Maintenance and Creation of Distinctive and Sustainable Communities' (July 2019)**

### **Response to Consultation and Publicity**

The consultation period for professional/statutory consultees was issued on 30th April 2020 and allowed consultees 21 days to respond up to 21st May 2020. However, due to the Coronavirus pandemic, the IACC were unable to issue press adverts and public notices, therefore following agreement with the applicant, the public consultation period was extended up until the 1st July 2020.

Given that a number of consultees had not responded, the IACC decided to undertake a further round of consultation from the 21<sup>st</sup> July until the 27<sup>th</sup> July to provide a further opportunity for consultees to comment on the application.

Responses to the statutory consultation procedures can be summarised as follows:

<b>Consultee</b>	<b>Response</b>
HeddluGogledd Cymru North Wales Police	<p>In response to the original application, NWP requested that should the need for enforcement of the temporary speed limits become a requirement, that provision within the temporary works is made for the siting of an enforcement vehicle. Following completion of the works and once operational, monitoring and assessment of vehicles' speeds should be undertaken. This will ensure a reduction in road safety does not occur and necessary measures can be undertaken including changes to speed limits and enforcement.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <p>(i) There was potential for this requirement to be accommodated in construction areas upon request, in consultation with the appointed contractor, if required.</p> <p>(ii) If enforcement measures were found to be required during construction works, the plan would be discussed with NWP.</p>

	<p>(iii) The applicant would expect the IACC as the Local Highway Authority to be responsible for monitoring and enforcing vehicle speeds following completion of the A/5025 On-line Highway Improvements and would be responsible for amending speed limits along the A5025 if determined necessary.</p> <p>As a result of the re-consultation process a second response was received from the NWP dated the 4th June, 2018 where it was confirmed that they had no further comments to make.</p> <p>With respect to this application, no response was received by NWP at the time of writing this report.</p>
<p>Gwasanaeth Tân ac Achub Gogledd Cymru North Wales Fire and Rescue Service</p>	<p>In their response to the original application, NWFRS recognized that there may be delays in emergency service response times as a result of the proposed development. It is proposed that the Construction Traffic Management Plan (CTMP) will include Temporary Traffic Management (TTM) procedures. The TTM allows emergency vehicles priority through roadworks. NWFRS wish to engage in the development of such procedures.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <p>(i) It is acknowledged that traffic delays are likely during the construction process, to be monitored and managed by the appointed contractor in accordance with a CTMP to be prepared by the appointed contractor and submitted to the local planning authority for approval, in response to a planning condition attached to any grant of planning permission. Emergency vehicles would be given priority through the construction areas.</p> <p>(ii) The appointed contractor will liaise and agree the proposed TTM procedures with the NWFRS. The procedures will then be incorporated as part of the CTMP, and submitted to the Local Planning Authority for approval in response to any appropriate planning condition attached to any grant of planning permission.</p> <p>As a result of the re-consultation process a second response was received from the NWFRS dated the 29th May, 2018 where it was confirmed that the applicants response to matters raised in the NWFRS initial consultation response were noted and would address the points raised.</p>

	<p>In respect of this application, no response was received by NWFRS at the time of writing this report.</p>
<p>Swyddfa Rheoleiddio Niwclear / Office for Nuclear Regulation</p>	<p>In response to the original application, ONR confirmed that they do not advise against the development.</p> <p>Following re-consultation the ONR confirmed that their position remained unchanged.</p> <p>With regards to this application, no response was received from the ONR at the time of writing this report.</p>
<p>Ymddiriedolaeth Natur Gogledd Cymru North Wales Wildlife Trust</p>	<p>In responding to the original application, in general terms NWWT had no outstanding objection to the proposals, however they did offer a number of conditions.</p> <p>It was the view of NWWT that it is not premature to consider the current TCPA application given the conclusions of the Report to Inform Habitats Regulations Screening and that the likely in-combination analysis of the wider DCO will not be compromised by the determination of the current application.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <p>(i) A 5 year maintenance plan has been included in the Design Access &amp; Landscape Strategy (DALs).</p> <p>(ii) The replacement stone walls will be constructed with a mortared core such that each face of the wall would be left un-mortared to incorporate natural crevices which could offer potential habitat for reptiles without affecting the long term integrity of the structure.</p> <p>(iii) The appointed contractor would be responsible for preparing and implementing appropriate species surveys and methodologies as well as the Construction Environment Management Plan (CEMP) and the appointment of an Ecological Clerk of Works.</p> <p>As a result of the re-consultation process a second response was received from the NWWT dated the 29th May, 2018 where it was confirmed that the majority of elements had been adequately addressed through condition ON-LAN-40 which</p>

	<p>had been suggested by the Authority, although certain suggestions were offered with respect to how the undefined elements could also be captured within the conditions tabled. The response also states that the Local Planning Authority should take its lead on this matter from the advice of the statutory agency Natural Resources Wales.</p> <p>Two elements of the DALs which remained of concern however, were the drystone wall specification which has not been reflected in the updated DALs and the fact that wildflower grass seed should be sown on low fertility soils and not top soils. Both matters have been brought to the applicant's attention and are considered to be issues which can be adequately addressed through conditions.</p> <p>In respect of this application, no response was received by NWWT at the time of writing this report.</p>
Cynghorydd John Griffith	<p>Provided a response to the original application but no observations made. No response to this application at the time of writing this report.</p>
Cynghorydd Llinos Medi Huws	<p>No response made to previous application and no response to this application at the time of writing this report.</p>
Dwr Cymru/Welsh Water	<p>In their response to the original application, Welsh Water outlined their right of access to their apparatus at all times. On the basis that no foul and / or surface connections are being sought into the public sewerage system, Welsh Water have no comments on the proposed foul and surface water drainage arrangements.</p> <p>Welsh Water provide technical advisory notes with supporting plans regarding water supply and conditions for development near water mains.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that;</p> <p>(i) The locations of the majority of the foul water crossings are within the areas of surface dressing works only so are therefore considered not to be affected by the works. There is one foul water sewer crossing in Section 6, between junctions 17 and 18 in Llanrhyddlad. DCWW were consulted on the proposal and confirmed that there is no impact on any public sewers by the proposed improvements.</p>

	<p>(ii) The applicant has been liaising with DCWW and their Developer Service confirmed that the proposed A5025 On-line Highway Improvements does not impact on any public sewer, and therefore are not located within the protection zones of sewer crossings.</p> <p>(iii) Should any unrecorded sewer be identified during the construction phase, the applicant will investigate and liaise with DCWW to confirm its status and implement any works that are necessary, should there be a conflict between the proposed works and unchartered sewers.</p> <p>(iv) The applicant liaised and agreed the diversion of DCWW apparatus as a consequence of the proposed A5025 On-line Highway Improvements and is content to receive an appropriate planning condition or informative on this point, to be attached to any grant of planning permission.</p> <p>No further comments were received from DCWW as a result of the re-consultation process.</p> <p>In respect of this application, DCWW responded in a letter dated 6th May 2020 confirming that they had no comments to make on the application. Following further consultation on the 21<sup>st</sup> July 2020, DCWW confirmed in an email dated 24<sup>th</sup> July 2020 that they have no comment to make in relation to this application.</p>
Cynghorydd Kenneth P. Hughes	No comment on the proposed extension of time to implement the consent.
Cynghorydd Gwilym O Jones	No response made to previous application and no response to this application at the time of writing this report.
Cadw	<p>In response to the original application, Cadw had no objections to the impact of the proposed development on the scheduled monument AN083 Capel Soar Standing Stone and registered park and garden GD43 Carreglwyd.</p> <p>No response was received from CADW following re-consultation at the time of writing this report.</p> <p>In respect to this application, a letter was received by Cadw dated 20th May 2020, confirming that they have no objection to the extension of time to implement the consent. Following a further round of consultation on the 21<sup>st</sup> July 2020, Cadw responded on the 22<sup>nd</sup> July stating that the advice</p>

	that they provided on the 20 <sup>th</sup> May 2020 remains valid.
Cyngor Cymuned Cylch y Garn Community Council	<p>Had no objections to the original application. General comments were offered with respect to the stopping-up procedures and a request was made that any works compounds were restricted to normal working hours, particularly in proximity to residential properties.</p> <p>No response received to the re-consultation on the original application.</p> <p>No response to this application at the time of writing this report.</p>
Cyngor Cymuned Y Fali / Valley Community Council	<p>In response to the original application, the Community Council requested that the disused bus shelter in Llanynghenedl was replaced with it being their intention to adopt the maintenance of the bus shelter once in place.</p> <p>In relation to pedestrian and cyclists safety the Community Council suggested improved lighting around Junction 4 (Gorad Road) and the consideration of reducing speed limits.</p> <p>It was also requested that access to Valley Cemetery must be maintained at all times and any disruption to the funeral director require adequate notice. It was also noted that the cemetery car park and water meter were not to be used by contractors.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that;</p> <p>(i) Valley Community Council will be invited to select a preferred design for the bus shelter from a choice of standard IACC shelter designs.</p> <p>(ii) The road safety audit undertaken has not identified an issue regarding the need for lighting at this junction. However, the applicant will discuss the issue further with the Authority's Highways department.</p> <p>(iii) The applicant would expect the IACC as the local highway authority, to be responsible for monitoring and enforcing vehicle speeds following completion of the A5025 On-line Highway Improvements. The Highway Authority and would be responsible for amending speed limits along the A5025 if deemed necessary.</p>



	<p>(iv) The appointed contractor will not be permitted to obstruct the vehicular access to Valley Cemetery. The applicant would be content to secure this by means of an appropriate planning condition attached to any grant of planning permission.</p> <p>(v) The appointed contractor will not be permitted to use the Valley Cemetery car park or the water supply.</p> <p>As a result of the re-consultation process, a second response was received from Valley Community Council dated the 20th May, 2018. In that response the members appreciated that comments previously submitted had been included within the revised proposals.</p> <p>However, it was resolved to write once again requesting that consideration be given to reducing the speed limit from Llangynghenedl to Valley to 30mph (currently 40mph) in view of the need to cross the road from Gorad to access the cycle path and due to existing concerns raised by local businesses about speeding traffic along this road, particularly towards the Valley traffic lights.</p> <p>In light of this request, a copy of the Community Council's comments was forwarded to the Authority's Highways Department who have subsequently confirmed that it is proposed to review speed limits on the A5025 between Valley and Cemaes once the Wylfa Newydd improvement works have been carried out. This response has subsequently been forwarded onto the Community Council for information.</p> <p>In respect of this application, the County Council notes that they have no objection to the extension of time provided that their previous comments (as outlined above) remain valid.</p>
Cynghorydd Richard Dew	No response made to previous application and no response to this application at the time of writing this report.
Wales and West Utilities	<p>In responding to the original application, Wales &amp; West Utilities provided advisory notes with attached plans for information to the applicant.</p> <p>Following the receipt of additional information from the applicant which resulted in a second round of consultation, Wales &amp; West Utilities in their response dated the 14th May, 2018 stated that they had no apparatus in the area of enquiry,</p>

	<p>however other gas pipes owned by other gas transporters and also privately owned may be present in this area. It was suggested that information with regard to such pipes should be obtained from the owners.</p> <p>With respect to this application, a response was received on the 1st May 2020 with no comments on the application.</p>
Yr Ymddiriedolaeth Genedlaethol National Trust	<p>A response was received to the original application with no observations.</p> <p>No response following re-consultation at the time of writing this report.</p> <p>No response to this application at the time of writing this report.</p>
Iechyd yr Amgylchedd / Environmental Health	<p>In responding to the original application, the Environmental Health Department confirmed that the information, assessment and methodology of the proposals are sufficient and meet the required policies and standards. In agreement with the conclusions of the assessed environmental impact. Recognition is given to the intra and inter development complexities and the cumulative effects of the proposal in the wider development proposals.</p> <p>Expected that the applicant will capture and mitigate against noise, vibration, air quality, artificial light, soil contamination, and odour and water issues through the CoCP.</p> <p>Further mitigation strategies and CEMP's to be supported by additional site-specific management plans.</p> <p>IACC welcome opportunity to assist with on-site noise and vibration monitoring to be implemented as soon as possible, emphasising long-term monitoring to be web-based and publicly available. Would also wish to be part of any community liaison committee proposed by the applicant.</p> <p>Adoption of the Section 61 Prior Consent agreements made under the Control of Pollution Act 1974 application process between the applicant and IACC, must afford protection and mitigation for residents and communities bordering the site boundaries.</p> <p>Progression of development along the A5025 could result in varying degrees of magnitude which requires continuous monitoring.</p>

	<p>Timings of all associated traffic should not impact on school arrival and departure routes between 8:00-9:00 and 15:00-16:00 weekdays.</p> <p>Following the receipt of additional information from the applicant which resulted in a second round of consultation the Environmental Health Department in their response dated the 10th May, 2018 confirmed that the applicant had sufficiently addressed the points and comments initially raised provided that the applicant adhere to the controlling mechanisms within the application; namely the Code of Construction Practice, the Contractor Environmental management plans and the formal adoption of the Section 61 Prior Consent agreements made under the Control of Pollution Act 1974 application process between the applicant and the Authority.</p> <p>In respect of this application, a response was received by Public Protection dated 12th May 2020 confirming that they had no comment to make on the application.</p> <p>Following a further round of consultation on the 21st July 2020, a response was received by the Chief Public Protection Officer stating that as this is application related to the Horizon Nuclear Power Ltd. A5025 Wylfa Newydd development, all comments previously submitted as part of the DCO consultation process are still relevant. Therefore no further comments are submitted by the public Protection department to this application.</p>
Openreach	<p>No response made to previous application.</p> <p>Following further consultation on the 21<sup>st</sup> July 2020, Openreach responded on the 25<sup>th</sup> July requesting further detail on the application site and the proposed works. The IACC has informed the applicant and advised that the applicant liaise with Openreach prior to commencement of works to ensure that they have an up to date plan of BT apparatus in the area.</p>
Uned Datblygu Economaidd / Economic Development Unit	<p>In responding to the original application, the Economic Development response provided by the Regeneration Function covered a combination of matters in relation to the socio-economic impacts of the project. Comments provided were outlined as follows:</p>

	<ul style="list-style-type: none"> <li>• Land use - IACC in agreement with assessment of slight adverse impacts.</li> <li>• Land access - Regeneration Function of IACC feel appropriate mitigation has been offered to address the issue.</li> <li>• Economic activity and employment - IACC in agreement with assessment of employment impacts. IACC expect the applicant and its contractors to commit to the Employment and Skills Service and Supply Chain Service. IACC has asked for these to be piloted for the SPC and request it is replicated on the A5025 Online works. IACC wish to see use of local labour monitoring to understand proportion of Welsh speakers in the workforce and use of local labour.</li> <li>• Tourism - IACC recognise temporary disruption to tourism and request work to be timed seasonally to minimise disruption. IACC would expect a tourism mitigation fund to address impacts on tourism businesses and facilities in line with proposed mitigation for other aspects of the WN project. To understand whether further mitigation is required to address unforeseen impacts, as a minimum IACC request the applicant to monitor impacts on businesses throughout the duration of the works and wider WN project.</li> <li>• Other - IACC highlight the opportunity to install broadband/fibre ducting along the A5025 simultaneously with the improvement works. This would avoid further unnecessary disruption to the road network. IACC welcome further discussion on the matter. Reference is also made to opportunity for facilitation of mains gas, whilst recognising the associated practical challenges.</li> <li>• Community severance - IACC believe the conclusion of community severance impacts is reasonable and propose mitigation in the form of social media/local radio updates. IACC expect similar provision of community benefits as with similar contracts (e.g. Llangefni Link road).</li> <li>• Cumulative impacts <ul style="list-style-type: none"> <li>a) IACC require a business and community mitigation fund to address adverse impact on socio-economic receptors by combination of different topic impacts. (i.e. air quality, noise and vibration, traffic)</li> <li>b) Intra project impacts - IACC welcome positive effects of employment but note displacement of labour and wage inflation.</li> <li>c) Inter project impacts - ES states potential impact on tourism businesses and visitors. IACC see this as further justification for tourism fund and monitoring measures addressing issues as they arise.</li> </ul> </li> </ul>
--	--

	<ul style="list-style-type: none"> <li>• Employment and investment - IACC highlight potential displacement of labour.</li> <li>• Economic impact assessment and Skills and employment plan - no standalone document presented but IACC note economic impacts assessed within the ES.</li> <li>• IACC expect principles of draft skills and employment plan (produced by the applicant but not within application) to be applied to A5025 application.</li> </ul> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <p>(i) Temporary access arrangements and relevant signage to indicate that businesses are still operational during the construction works would be considered for inclusion as part of the CTMP, to be prepared and implemented by the appointed contractor. The proposed measures would be agreed in consultation with the IACC.</p> <p>The appointed contractor would be required to appoint a Community Liaison Officer, who must be a Welsh speaker, to communicate with local residents and businesses throughout the construction stage. This would ensure that any issues of concern raised during the construction works are managed and coordinated through a single point of contact and managed proactively with local stakeholders by communicating early regarding construction activities. Local employment is a key priority of the Framework Contract for Highways Construction, which requires the appointed contractor to adhere to the applicant's Supply Chain Charter and to promote contract opportunities within Wales and the local area. This would include measures such as attendance at "Meet the Buyer Events" and advertising contractor and sub-contracting opportunities through a suitable internet-based platform.</p> <p>The majority of workers (assessed as 75%) would commute to the construction areas and Temporary Construction Compound on a daily basis from their homes based in the local area. For those workers who may want to stay close to site during the construction period, the appointed contractor would manage their accommodation as required, which is likely to be visitor accommodation, lodgings or short term private rented property, with workers returning to their homes at weekends.</p>
--	---

	<p>(iv) Monitoring the use of local labour and the proportion of Welsh Speakers in the workforce would be considered for inclusion as part of the CEMP prepared and implemented by the appointed contractor.</p> <p>(v) The proposed duration of the works is 66 weeks and it will not be practicable to time the works seasonally to reduce impacts in particular seasons. However, the appointed contractor would be responsible for implementing such requirements which would include any traffic embargos and special arrangements for events such as the annual Tour de Mon cycling sportive. Construction works would also not take place on bank holidays.</p> <p>(vi) The scale and duration of the proposed construction works are not expected to present significant adverse effects on tourism. As stated previously the appointment of a Welsh speaking Community Liaison Officer will assist local residents and businesses throughout the construction stage to inform them of the timing and duration of the works and to ensure any issues related to traffic disruption are addressed.</p> <p>(vii) On the matter of installing broadband/fibre ducts along the route the applicants' response confirms that the improvements have been designed to ensure that the surface and width of the road is appropriate for future traffic levels. The use of adjoining land for other proposals would be subject to other consenting provisions. In a similar vein, the provision of a gas supply along the route would also not be considered as part of the proposed development, particularly given the reconstruction works are not continuous along the full length of the A5025.</p> <p>The scale and duration of the works are not expected to present significant in-combination effects upon sensitive receptors, including residents and businesses. As agreed in response to previous consultation exercises the intention is to undertake the highway reconstruction works simultaneously within all four construction areas in sections 2, 4, 6 and 8 to reduce the overall duration of the works and impacts on traffic and associated environmental effects. The effects of the construction process will be monitored and managed by the appointed contractor, with regular liaison with local communities impacted by the works to ensure any issues arising are addressed efficiently. It is therefore not considered necessary</p>
--	--

	<p>to provide business and community mitigation funds, particularly given that once implemented, the A5025 On-line Highway Improvements will be beneficial to the local area in terms of providing a high quality transport route, improving road safety and increasing accessibility.</p> <p>(ix) IACC Highways- Major Projects (which is separate to Highways Consenting) and the applicant have established a Framework contract for Highways construction, which enables companies to become part of a 'pool' of potential contractors that can be approached directly by the IACC to bid for work, when required. Three of the four eligible contractors are based in north Wales. While it is not possible to guarantee the percentage of workers contracted from the local area it is highly likely that the contractors would appoint workers local to the proposed works, primarily to take advantage of the locally skilled workforce. Local employment is key priority of the Framework Contract for Highways Construction, which requires the appointed contractor to adhere the applicant's Supply Chain Charter and to promote contract opportunities within wales and the local area.</p> <p>Following the re-consultation process a response was received from the Authority's Regeneration Function which states that they look forward to undertaking further consultation as part of the preparation of the CEMP to address some of the issues outlined above.</p> <ul style="list-style-type: none"> <li>- Regarding the Framework Contract, it is suggested that regular monitoring is required;</li> <li>- Given the duration of works it is questioned whether there is an opportunity to minimise disruption during peak hours of the day;</li> <li>- The appointment of a Welsh Community Officer is welcomed and will be reviewed;</li> <li>- It is not considered that the applicant's response to the issue of Tourism as a 'standalone' item has been adequately addressed and requires further discussion;</li> <li>- It is expected that the applicant share their Communications Plan and maintain dialogue with the Authority throughout construction;</li> </ul> <p>It is acknowledged that the works once completed will provide a lasting benefit to the area however potential still exists for businesses to suffer harm during construction and it is therefore imperative that further dialogue is held on this issue;</p>
--	--



	<ul style="list-style-type: none"> <li>- It is considered that continued monitoring and reporting is any instances of displacement are managed;</li> <li>- The Framework Contract for Highways Construction is welcomed as a positive step for local employment opportunities however it is again imperative that regular monitoring and reporting is undertaken in an effort maximise upon the opportunities on offer.</li> </ul> <p>In respect of this application, a response was received on the 22<sup>nd</sup> July 2020 that confirmed that the Economic Development Function made a detailed representation to the previous application and these comments remain valid. We support the proposed application to extend the time to implement the consent. This is important enabling works for the Wylfa Newydd which is supported by the Economic Development Function.</p>
<p>Priffyrdd a Trafnidiaeth / Highways and Transportation</p>	<p>In response to the original application, the Highways and Transport department made the below general comments:</p> <ul style="list-style-type: none"> <li>• Further to the on-going discussions held between the IACC and the applicant, the resurfacing specification is to be agreed with the IACC prior to commencement of works.</li> <li>• The surface dressing specification is to be agreed with the IACC prior to commencement of works.</li> <li>• The extent of preparatory pre-surface dressing carriageway patching is to be agreed with IACC prior to commencement of works.</li> <li>• The applicant shall be advised to apply in writing to the Head of Service for Highways, Waste and Property for the necessary consent, as required under Section 278 of the Highways Act 1980 to carry out work within the highway.</li> <li>• All signage and road markings to be agreed with the IACC prior to commencement of works.</li> <li>• Any highway to be stopped-up as part of this development shall be dealt with by the Local Authority under Section 247 of the Town and Country Planning Act 1990.</li> </ul> <p>Further commentary was provided on the content of specific documents submitted as part of the</p>

	<p>application. A full response was awaited at the time of writing this report and a verbal update was provided to the Members of the Planning Committee.</p> <p>In respect of this application, the Highways Department confirmed that they had no objection to the extension of time to implement the consent.</p> <p>The Highways Department also stated that since the original application in 2018, the Highways Authority confirm that a SCANNER survey (Surface Condition Assessment for the National Network of Roads) has been undertaken on the A5025 between Valley and Cemaes in 2018 and a SCRIM survey (Sideway-force Coefficient Routine Investigation Machine) was undertaken in 2019.</p> <p>Whilst the Highways Authority does not wish to invest significantly in the A5025 due to the highway improvements proposed by the applicant, the road surface is deteriorating and the Highways Authority have had to undertake essential maintenance on sections of the A5025 this year (2020). These are not significant works; they are however, essential works until the more significant A5025 highways improvements are made as part of this application.</p>
Swyddog Llwybrau Troed / Footpaths Officer	<p>In responding to the original application, the IACC Footpaths Officer agreed with the proposals for the Public Rights of Way.</p> <p>No response following re-consultation at the time of writing this report.</p> <p>With regards to this application, the Footpaths Officer confirmed in an email dated 1st May 2020 that they had no comment to make on the application.</p> <p>Following a second round of consultation, the Footpath Officer confirmed in an email on the 22<sup>nd</sup> July that he had no further comments to make.</p>
Gwasanaeth Addysg / Education Service	<p>In responding to the original application, the Education Department reiterated points made in previous iterations of the consultation process (i.e. PAC 3). These include reference to effects of:</p> <ul style="list-style-type: none"> <li>• Dust, noise and traffic on Ysgol Rhyd y Llan;</li> <li>• School start and end times should be avoided by construction traffic to avoid impact on school transport routes for the whole area; and in particular the increased dangers for pupils on foot</li> </ul>

	<p>who must cross the main road to the school or to reach their bus stop;</p> <ul style="list-style-type: none"> <li>• Effect of dust, noise and vibration on pupils at Ysgol Cemaes. It was noted in the applicants PAC 3 documentation that effects of dust, noise and vibration on the school were deemed 'moderate to severe' at the time. The Education Department expect HNP to provide mitigation against any predicted impact on vulnerable young children both within the school building and particularly during breaks and lunchtimes within this current application.</li> </ul> <p>The scoping exercise carried out by the applicant concluded that an air quality assessment associated with construction road traffic emissions was unnecessary as the potential effect on local air quality would be negligible.</p> <p>The proposed works have had thorough consideration for the impact on air quality in the context of relevant adopted planning policy as well as technical guidance. In particular PPW Edition 9 where reducing dust emissions is an important objective.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <p>(i) As identified in the ER, the Rhyd y Llan school was included as one of the sensitive receptors considered in the dust assessment. This identified that the school and the adjacent residential users would have a high sensitivity to dust impacts. The proposed works for Section 5 involving surface dressing, which would result in a low level of dust emission. As a result of this, it has been concluded that the risk is causing dust effects on human health is low. As a consequence, no additional mitigation to that already included in the CoCP for the control of dust is required.</p> <p>(ii) The effects of the noise levels are taken into account in the Environmental report, where the villages adjacent to the scheme have been considered as receptors, rather than individual residential, community and business users. The village of Llanfaethlu is considered to be a sensitive receptor to noise, which would include the school. The proposed surface dressing works have been assumed to be undertaken relatively quickly where 300m sections would be able to be completed daily. In the submitted ER it has been assumed that receptors located within 10m of the</p>
--	--

	<p>road are predicted to be exposed to noise levels exceeding 80- dB LAeqT. As the school is more than 10m from the A5025, the noise levels would be much lower. Furthermore, given the assumed rate of the works, such noise levels are likely to be received by receptors for a very short duration of a few hours. Low noise road surfacing will be used to reduce the effects associated with traffic flows and provide noise reduction benefits. No additional mitigation to that already included in the CoCP for construction noise reduction measures is required.</p> <p>(iii) The effect on traffic flows in the vicinity of the school has been assessed in ER. For sections where the works involves surface dressing, such as section 5, the construction traffic flows have been considered to have be insignificant. The mitigation for any impacts from traffic will be in the form of the management of the construction areas along the highway during the A5025 On-line Highway Improvements, along with traffic management systems and communication with residents along the route. All of these measures would form essential elements of the CTMP to be prepared and implemented by the appointed contractors and agreed with the IACC in response to a planning condition attached to any grant of planning permission.</p> <p>(iv) In order to minimise and mitigate the impacts of HGV and bus traffic on existing flows and recreational cyclists, a delivery window on the A5025 for the construction materials has been identified with restrictions during school tart and end times and 07:00 - 13:00 on Saturdays, in advance of the A5025 On-line Highway Improvements being operational. It is anticipated that deliveries may occasionally be undertaken outside of these times, but they will be limited whenever practicable. The appointed contractor will be required to operate deliveries in accordance with the requirements set out in the submitted CoCP.</p> <p>Following the re-consultation process no additional comments were received from the Education Department.</p> <p>In respect of this application, no response was received by the Education Department at the time of writing this report.</p>
Swyddog Cynllunio Argyfwng / Emergency Planning Officer	No response made to previous application and no response to this application at the time of writing this report.

Scottish Power Energy Networks	No response made to previous application and no response to this application at the time of writing this report.
Betsi Cadwaladr University Health Board	No response made to previous application and no response to this application at the time of writing this report.
Llywodraeth Cymru (Priffyrdd/Highways)	<p>Welsh Government as Highway Authority for the A55 trunk road did not issue a direction in respect of the application at the time of original submission.</p> <p>Following the receipt of additional information from the applicant which resulted in a second round of consultation, the Welsh Government's Department for Economy and Infrastructure in their response dated 11th May, 2018 directed that any permission granted by the Authority should include the following condition;</p> <p>1. The applicant must ensure that the above works are completed prior to works commencing on the Wylfa Newydd Site. Reason: To maintain the safety and free flow of trunk road traffic.</p> <p>In light of the fact that the re-consultation process was undertaken as a result of additional information and clarification received from the applicant in support of the application rather than any fundamental change in the nature of the proposal, the Authority sought further clarification from the Welsh Government (Highways) which provides justification for their latest direction.</p> <p>In a response which was received on the 8th June 2018 it was stated that the reason for the change in response was due to the concerns they had that if the A5025 improvements were not completed in time, there would be a risk that this may not become the main strategic route to the Wylfa site, and alternative routes using other junctions on the A55 may be used by site traffic, especially those near Britannia Bridge.</p> <p>Whilst this condition could be considered for inclusion as part of the DCO requirements in the event that that the On-Line Highway Improvements were yet to be carried out/completed, it is not considered to be a condition which complies with the relevant tests laid out within Circular 016/2014 'The Use of Conditions on Planning Permissions' for inclusion within any permission which might be granted as part of the current application.</p> <p>With regards to this application, a response was received by the Welsh Government (Highways) on the 13th July 2020 confirming that the Welsh</p>

	<p>Government does not wish to issue a direction in respect of this application.</p>
<p>Gwasanaeth Cynllunio Archeolegol Gwynedd Archaeological Planning Service</p>	<p>In responding to the original application, GAPS believed the Environmental Report accompanying the application contains sufficient information on the historic environment. Whilst concurring with the assessment of significance of effects on monuments, archaeological remains, historic buildings and landscape types along the course of the proposed road improvement works, the assessment of effects underestimates the impacts on potential (as yet undiscovered) archaeological remains and deposits.</p> <p>GAPS stated that detailed specification for the proposed works needs to be agreed in advance of undertaking any mitigation and this should be agreed through a condition on any consent the Local Planning Authority might be minded to grant.</p> <p>Two conditions were proposed:</p> <ol style="list-style-type: none"> <li>1. No development or other ground disturbing works shall commence until a Written Scheme of Investigation (WSI) for a programme of archaeological work has been submitted to and approved in writing by the Local Planning Authority. All subsequent archaeological work shall be completed in strict accordance with the approved details.</li> <li>2. A detailed report on the archaeological work and findings, as required by condition no.1, shall be submitted to and approved in writing by the Local Planning Authority within six months of the completion of the archaeological fieldwork or completion of the development, whichever is the sooner.</li> </ol> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that;</p> <ol style="list-style-type: none"> <li>(i) The proposed re-alignment works close to Asset 129, Rhos y Gaer are located within the vicinity of Asset 370 (line of former field boundary). As referred to in paragraph 13.5.1 of the Environmental Report, this area close to asset 370 had already been identified for an archaeological watching brief to be carried out during the works, which aligns with the advice provided by GAPS.</li> <li>(ii) Proposed improvement works in the vicinity of Asset 287 (Hilltop enclosure west of</li> </ol>

	<p>Bwlch): Based on the General Arrangement drawing the works comprise surface dressing of the existing carriageway in this section with no ground excavations and as such there would be no impact on any remains associated with this asset. Therefore, there is no need for mitigation measures in this area.</p> <p>The recording of sections of field boundaries to be removed is small scale work. This could be done in advance of construction or during construction as part of a watching brief.</p> <p>As a result of the re-consultation process a second response was received from GAPS dated the 25th May 2018 which confirmed that they were happy with the fact that the issues were being taken into account as part of the proposed archaeological mitigation and that the detail would be agreed through the submission of a Written Scheme of Investigation.</p> <p>With regards to this application, in an email dated 13th May 2020 GAPS confirmed that they no archaeological concerns with the extension of time to implement the consent.</p>
Sustrans Cymru	<p>In responding to the original application, Sustrans stated that all new highway improvements must take into account the requirements of the Active Travel (Wales) Act and its associated guidance.</p> <p>IACC Highways department confirm that the Active Travel (Wales) Act has been considered in the design of the scheme.</p> <p>With respect to this application, no response at the time of writing this report.</p>
Rheolwr Polisi a Strategaeth / Policy & Strategy Manager	<p>In responding to the original application, the Welsh Language Officer stated that it is necessary for the A5025 On-line Highway Improvements CoCP to reflect the principles within the Welsh Language and Culture Mitigation and Enhancement Strategy (WLCMS) in relation to the Welsh Language to ensure a consistent approach.</p> <p>However, the IACC still has significant concerns with the contents of the further revised version of the WLCMS (revision 0.2) since some mitigations proposals still have been amended/diluted and even omitted. The IACC wishes to reiterate that on a point of principle, the wording in many instances, has moved from commitment to consideration.</p>



	<p>The IACC welcomed the initiative to appoint the independent language planners ARAD to facilitate the creation of the draft strategy via an inclusive and collaborative, and collective process. The March 2017 version of the document reflects the outputs from workshops conducted with partner organisations, one-to-one consultation and a review of relevant documentation and literature. The actions are based on best practice adopted elsewhere and local need.</p> <p>The IACC wishes to reiterate that it is still gravely disappointed that the further revised version has still been diluted by the applicant without the provision of an evidence base. This dilution and condensing process is seen as undermining the transparency and legitimacy of revised strategy as it was undertaken without reference to the Steering Group which was established by the applicant to engage with Key stakeholders.</p> <p>It was requested that a statement is required outlining that the applicant and associated contractors will adhere to the IACC's Welsh Language Policy in all aspects of the project and communication with the public.</p> <p>Specifically a requirement is made for all internal communications to be made available bilingually. Opportunities should be identified at all times on the main site to provide opportunities for Welsh speakers and learners to use Welsh in the workplace environment. Inductions should include Welsh language awareness raising provision.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <p>(i) The WLCMS relates specifically to the Wylfa Newydd DCO Project. The strategy is therefore not applicable to the A5025 On-line Highway Improvements in terms of mitigation measures relating to Welsh language, which have been informed by the WLIA.</p> <p>(ii) The Framework Contract for Highways Construction sets out the requirements for the appointed contractor to adhere to the IACC's Welsh language Policy objectives and the Welsh Governments Welsh Language Standards. As a minimum, the contractor will be required to appoint a Welsh speaking Community Liaison Officer and</p>
--	--

	<p>to install bilingual signage throughout the construction process.</p> <p>(iii) The appointed contractor will adhere to the IACC's Welsh language Policy objectives and the Welsh Governments Welsh language Standards, and will be required to appoint a Community Liaison Officer who must be a Welsh Speaker.</p> <p>(iv) The WLIA demonstrates that overall the Proposed Development, is expected to have a beneficial effect on the Welsh language and Culture, particularly in terms of providing direct employment, including supply chain and job creation opportunities. These in turn will encourage Welsh Speakers to remain in the area and attract further Welsh speakers to Anglesey for employment opportunities.</p> <p>(v) Chapter 4 of the ER demonstrates that based on the 66 week duration of works and nature of the construction works, it is anticipated that the number of personnel required would be a peak of 125 workers. According to the Homes &amp; Communities Agency Additional Guide (Fourth Edition 2014) which has informed the socio-economic assessment for the Proposed development, 75 % (94) of the workers are expected to be employed from within the Daily Construction Commuting Zone (DCCZ) which is an area that is a 90 minute commute time from the Wylfa Newydd development area. The remaining 25% (up to 31 workers) are likely to live outside of the DCCZ, who may stay on Anglesey for part of the construction period.</p> <p>(vi) Local employment is a key priority of the Framework Contract for Highways Construction which requires the appointed contractor to be adhere to the applicant's Supply Chain Charter and to promote contract opportunities within Wales and the local area.</p> <p>(vii) If there was an increase in the 25% proportion of workers living outside of the local area, this would not have a significant impact on the Welsh language and culture in schools and communities, given that it is unlikely that the construction workers would seek long term accommodation on Anglesey for the duration of the works.</p> <p>(viii) The WLIA demonstrates that overall the Proposed development is expected to have a beneficial effect on Welsh language and culture,</p>
--	---

	<p>particularly in terms of providing direct employment, including supply chain and job creation opportunities.</p> <p>In response to these comments a response was received from the Authority's Policy and Strategy Manager which acknowledges, following legal advice, that the current proposal for the On-Line Highway Works are a standalone project. The policies which apply are therefore no different to those which have been applied to other similar projects such as the Llangefni 'Link-Road'.</p> <p>In this respect there will be a requirement for Welsh language signage. The fact that IACC Transport officers are in constructive dialogue with the applicant regarding procurement measures which support the aims of the draft WLCMS for Wylfa Newydd with regard to the engagement of local welsh speaking construction workers and local suppliers and contractors is also welcomed.</p> <p>Whilst it is recognised that the current application is a 'stand-alone' project for planning consenting purposes these however are seen in the eyes of the public as the commencement of the overall Wylfa Newydd project. It is therefore imperative that the comments previously suggested with respect to Welsh Language and Culture are captured within the Authority's Local Impact Report to be prepared by the IACC as part of the DCO process.</p> <p>In response to this application, the Welsh Language Officer confirmed that they have no comment on the extension of time provided that all other conditions relating to Welsh Language remain the same.</p>
Mwynau a Gwastraff / Minerals & Waste	<p>In responding to the original application, the North Wales Minerals and Waste Team confirmed that the proposals are in accordance with relevant policy and it is recommended that both the submission of Materials Management Plan and Waste Management Plan documents are requested as part of a pre-commencement condition.</p> <p>The development of a temporary construction compound including a temporary pavement recycling facility is welcomed. However, as commented in the Waste and Minerals Oversight Group meeting (WaMOG) dated 18th May 2017, the compound appeared confined and somewhat impractical considering the tonnages, equipment</p>

	<p>and machinery required for operation. Although some amendments were made to the original compound footprint, further concerns were voiced in the WaMOG of the 7th December 2017.</p> <p>The importation of material for the development is not considered a significant impact on the local/regional infrastructure.</p> <p>In relation to waste of onsite material and site-won recycled material, it is assumed that a decision and/or plan together with the appointment of a contractor dealing with waste will follow permission, if granted. Should the waste from the development be destined to landfill, inert landfill capacity locally is problematic and could prove difficult, notwithstanding the main project in its entirety.</p> <p>The North Wales Minerals and Waste Service are in agreement with the methodology and outcomes with the proposal as a standalone application, but not if inter/intra project cumulative effects need to be considered.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <p>(i) The appointed contractor will be required to produce a CEMP, which will incorporate the preparation of a Materials Management Plan and a Site Waste Management Plan, in accordance with the principles set out in the CoCP. The CEMP will be submitted to IACC for approval prior to the commencement of works, in response to an appropriate planning condition attached to any grant of planning permission.</p> <p>(ii) Once the contractor has been appointed, the layout of the Temporary Construction Compound will be further developed in liaison with IACC Highways, to be included in the CEMP. This will be submitted to the Local Planning Authority for approval, in response to a condition attached to any grant of planning permission.</p> <p>(iii) The 52,480 tonnes of waste stated in the waste arisings summary includes approximately 33,000 tonnes of bituminous material with an assumption that 95% of this material will be recycled and used as part of the highway reconstruction works. The appointed contractor will be required to prepare and adopt a Site Management Waste Plan (as part of the CEMP) to</p>
--	--

	<p>deal with the waste arisings, in accordance with the principles set out in the submitted CoCP. Discussions with the prospective contractor will be carried out prior to appointment in all aspects of the construction works including waste management, to ensure a strategy is developed early in the process.</p> <p>(iv) The contractor will be responsible for identifying an appropriate landfill site (or sites) with sufficient capacity to receive the inert waste generated by the proposed development. The site(s) would be selected on Anglesey if possible, or across a wider catchment within the north Wales region, as appropriate.</p> <p>(v) The principles of the Site waste management Plan set out in the submitted CoCP, align with those of the overall Wylfa Newydd Project CoCP, to ensure the approaches to waste management are compatible.</p> <p>(vi) Documents relating to the waste mass balance document are confirmed as issues which will be considered by the applicants in response to a requirement attached to the Development Consent (subject to its granting).</p> <p>As a result of the re-consultation process a second response was received from the North Wales Mineral and Waste Planning Service dated 7th of June, 2018 which expressed concern with the fact that there is limited capacity within the North West to accommodate the 52,840 tonnes of inert waste. The Service however confirmed that it was confident that there was sufficient aggregate available regionally to service the development. On the matter of the 'Site Waste Management Plan' and 'Materials Management Plan' the Service has requested that any conditions drafted and attached to the permission are framed such that the details are presented to the local planning authority within an appropriate time scale rather than prior to the commencement of works on site. This would allow sufficient opportunity for all parties to establish whether is sufficient capacity to control the waste which is associated with the development without adversely impacting upon the current local market.</p> <p>With regards to this application, no response was received by the North Wales Minerals and Waste Team at the time of writing this report.</p>
--	--

Tourism Partnership North Wales	No response made to previous application and no response to this application at the time of writing this report.
Uned Polisi Cynllunio ar y Cyd / Joint Planning Policy Unit	<p>In responding to the original application the JPPU stated that Strategic Policy TRA 4 Sustainable transport, development and accessibility promotes proposals that maximise accessibility for all modes of transport, but particularly by foot, cycle and public transport. It clarifies that the Councils will require appropriate transport infrastructure elements to be delivered as part of major infrastructure development schemes either in kind or through section 106 obligations. It sets the framework to allocate or safeguard land where appropriate to facilitate the key strategic transport schemes.</p> <p>Policy TRA 1 sets out the parameters to consider improvements to the existing transport network. In recognition of pre-application discussions with Horizon the Policy recognises the need to develop an appropriate scheme of transport solutions to mitigate the effects of the construction and operation of the new power station. Part 4 of the Policy safeguards land that would contribute to one of the transport solutions.</p> <p>Criterion 3 of Policy PS 9 sets out the need for "Highways and transport proposals for the Wylfa Newydd Project form part of the integrated traffic and transport strategy that has regard to Strategic Policy PS 4 and any relevant detailed Policies in the Plan and minimises adverse transport impacts to an acceptable level, including those arising during the construction, operation and decommissioning stages, and any restoration stages. Proposals should, where feasible, make a positive contribution to transportation policy objectives in the locality, and should include multi-modal solutions and investment that encourages travel by public transport, walking and cycling and other sustainable forms of transport."</p> <p>Responses to the consultation from specialist officers within the Council and its partners will determine whether any other criteria in Policy PS 9 apply and which development management policies are relevant to the proposal.</p> <p>With regards to this application, the JPPS stated that since the original application in 2018, the Council has adopted and SPG on 'Maintenance and Creation of Distinctive and Sustainable Communities' (July 2019). This provides a revised</p>

	<p>methodology for the preparation of a Welsh Language Impact Assessment or Welsh Language Statement to support and application.</p> <p>The original application was supported by a Welsh Language Impact Assessment, however the methodology used in its preparation was based upon a now superseded SPG 'Planning and the Welsh Language'.</p> <p>Due to the adoption of the 'Maintenance and Creation of Distinctive and Sustainable Communities' SPG in July 2019, further discussion was held with the applicant, when it was agreed it was possible to assess the proposal against the relevant questions in this revised methodology.</p> <p>The IACC requested the applicant to assess the conclusions from the original assessment against the new SPG methodology and to identify whether the original findings were still valid. The applicant submitted this further assessment and the JPPU provided a second response to the consultation which confirmed;</p> <ul style="list-style-type: none"> <li>• Whilst the further information submitted is not structured against the methodology contained in the SPG, the JPPU concurs with the conclusions made with regards to the possible impacts of the development on the Welsh language. The JPPS acknowledges that the conclusions of the WLIA remain valid.</li> <li>• The JPPU acknowledges that the consideration of potential effects of the development on the Welsh language have been thoroughly assessed. The consideration of mitigation measures and good practice measures which would ensure that any effects are minimised is welcomed.</li> <li>• Additional information relating to conditions 4 (l) 7 and 22 of the planning consent has also been submitted. It is considered that the overview of these conditions provided is sufficient in addressing how this information will ensure compliance with the WLIA.</li> <li>• The submission of the additional information confirms that the requirements of the WLIA methodology in the adopted SPG are met, and no further information relating to the Welsh language are required at this time.</li> </ul>
--	--



Bwrdd Uchelgais Economaidd Gogledd Cymru North Wales Economic Ambition Board	No response made to previous application and no response to this application at the time of writing this report.
Cyngor Conwy Council	<p>No reply to original consultation.</p> <p>Following the receipt of additional information from the applicant which resulted in a second round of consultation, Conwy Council confirmed in their response dated the 22nd May, 2018 that they intended to make no comments on the application.</p> <p>With respect to this application, no response was received from Conwy County Borough Council at the time of writing this report.</p>
Adain Dechnegol (Draenio) / Technical Section (Drainage)	<p>In responding to the original application the IACC's Drainage Officer stated that the proposed highway improvement works are partially located in areas served by public sewer systems and this application should therefore be forwarded to the sewerage undertakers, for their consideration and comment.</p> <p>Greater detail of intended disposal of surface water is required.</p> <p>The surface water management and land drainage philosophy as detailed in the supporting documentation, appears to be satisfactory in principle.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <p>(i) The applicant has consulted with DCWW regarding the implications of the proposed A5025 On-line Highway Improvements on existing public sewers.</p> <p>(ii) There would be no change to catchment areas as a result of the A5025 On-line Highway Improvements, with only a slight increase in impermeable area which will be mitigated by implementing either an extension or enhancement to the existing drainage provision or filter drains, or strips where appropriate. These details will be designed by the appointed contractor and submitted to IACC for approval, in response to a planning condition attached to any grant of planning permission.</p>

	<p>(v) Details relating to culvert design and construction will be provided by the appointed contractor once on site and the culverts exposed. These details would then be submitted to IACC for approval in response to a planning condition attached to any grant of planning permission.</p> <p>(vi) The appointed contractor will undertake further investigation work to confirm ground water levels to inform the final design for the pond construction. Additional topographical survey information will be undertaken to finalise the shape and depths of each attenuation pond and confirm their position and invert levels into adjacent watercourses. Horizon is content to receive a appropriate planning condition on this point</p> <p>(vii) All required details will be prepared and presented to the local planning authority for approval prior to the commencement of any drainage elated development in response to a planning condition attached to any grant of planning permission. This includes ground investigations into either an infiltration design or attenuation system required to serve the new parking area at Bryn Tirion Terrace in Section 4.</p> <p>As a result of the re-consultation process a second response was received from the Technical Section dated 8th of June, 2018 which confirmed that there was no objection to the proposals in principle. However, there were still certain aspects of the scheme which required further clarification at this juncture: namely;</p> <ul style="list-style-type: none"> <li>- The connectivity of the new road gully and drainage network at chainage 900.00 and;</li> <li>- The percolation value of the ground in the vicinity of the soakaway intended to serve the parking area at Bryn Tirion Terrace.</li> </ul> <p>These matters will be reported verbally at committee in the event that the requested details have not been presented to the local planning authority in sufficient time for consideration and analysis as part of this report.</p> <p>In respect of this application, no response was received at the time of writing this report.</p>
Ymgynghorydd Ecolegol ac Amgylcheddol / Ecological and Environmental Advisor	<p>In responding to the original application, the IACC's Ecological Advisor stated that while referring to protected and legally controlled species, constituting: crested newts; otters; water vole; reptiles; birds; badgers; and fish, it is advised</p>

	<p>that the various proposed strategies outlined in the documentation are implemented. These strategies include the provision of an ecological clerk of works, protected species licenses, and construction method statements, while also requesting that these should be specified and agreed prior to works beginning by way of planning conditions.</p> <p>It is also advised that an Invasive Species Control and Eradication Plan be conditioned either as part of the Construction Environmental Management Plan or as a standalone document.</p> <p>It is advised that the planting of trees, shrubs, various grass seed mixes, the translocation of existing hedges (with infilling of new native planting for greater diversity), and other ecological aspects covered in the Design Approach and Landscape Strategy (and associated Figures) be carried out as given in the Strategy.</p> <p>In view of the Habitat Regulation Screening it appears that the proposal would not be likely to have any significant impacts on Natura 2000 sites, and therefore it is advised that (unless significant argument(s) for undertaking Appropriate Assessment are raised, for example, by NRW), this proposal should be deemed to be screened out on the basis of the material provided.</p> <p>It is requested that the Code of Construction Practice (CoCP) be followed, however serious consideration should be given as to whether all the required ecological construction method statements in CEMPs should be provided by contractors, or whether this should be achieved by the applicant at an earlier stage.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that;</p> <ul style="list-style-type: none"> <li>(i) The appointed contractor would be required to prepare the CEMP which would incorporate Construction Method Statements, Invasive Species Control and Eradication Plans.</li> <li>(ii) The contractor would be required to appoint an Ecological Clerk of Works who would be responsible for the preparation and submission of protected species licence applications.</li> <li>(iii) The appointed contractor would be required to implement the A5025 On-line Highway</li> </ul>
--	--

	<p>Improvements in accordance with the approved DALs in response to an appropriate planning condition attached to any grant of planning permission.</p> <p>As a result of the re-consultation process a second response was received from the Ecological and Environmental Advisor dated the 9th May, 2018 which offered general commentary with respect to minor matters relating to the additional information presented by the applicant. These comments have subsequently been forwarded to the applicants who have in turn confirmed that they have no objection to the requested detail being incorporated into suitably framed conditions.</p> <p>In respect to this application, a response was received by the IACC's Ecological Advisor on the 1st May 2020 confirming that they had no objection to the extension of time provided that all other conditions remain the same.</p>
Diogelu – Y Weinyddiaeth Amddiffyn / MOD Safeguarding	No response made to previous application and no response to this application at the time of writing this report.
National Grid Plant Protection Team	No response made to previous application and no response to this application at the time of writing this report.
Cyngor Cymuned Llanfachraeth Community Council	<p>With regards to the original application in 2018, a response was received with no objections.</p> <p>Following the receipt of additional information from the applicant which resulted in a second round of consultation the Community Council response dated the 6th June, 2018 confirmed that their position of 'no objection' remained unchanged.</p> <p>In respect of this application, following a further round of consultation on the 21<sup>st</sup> July 2020, the Community Council responded stating that they have strong support for the application with no objections.</p>
Cyngor Cymuned Llanfaethlu Community Council	<p>In respect of the original application, the below provides a chronological summary of the consultation with the Community Council.</p> <p>27th February - Community Council briefing session where the Community Council raised concern with respect to the fact that they hadn't received a response to the concerns expressed with respect to the A5025 proposal. Llanfaethlu confirmed that they had requested further detail</p>

	<p>from the IACC and a meeting to discuss their concerns.</p> <p>5th March - IACC Highways and Highways Development Control department confirmed no concerns had been received or invitation to such a meeting.</p> <p>6th March - IACC Local Planning Authority e-mailed Llanfaethlu's clerk in an effort to establish exactly what their concerns are.</p> <p>7th March - Llanfaethlu responded stating that a letter was sent to the Highways Department but no response had been received. It was confirmed that Cllr Ken Hughes had made inquiries but no response was received. There was an invitation for IACC to attend the next Community Council meeting on 9th April.</p> <p>15th March - The Planning Authority responded by thanking the Community Council for the invitation but confirmed the Local Planning Authority were not in a position to discuss issues relating to vehicle speeds along the A5025. A special meeting was arranged for April 26th to discuss the DCO process, SPC and A5025 TCPAs with members of the Town Councils and Community representatives with an invitation included to Llanfaethlu Community Council.</p> <p>No reply was received following the Town and Community Councils Forum which was held in the Council Chamber on the 26th of April, 2018 or as a result of the re-consultation process at the time of writing this report.</p> <p>In respect of this application, no response was received by the Community Council at the time of writing this report</p>
Awdurdod Datgomisiynu Niwclear / Nuclear Decommissioning Authority	<p>In responding to the original application the NDA stated that defueling transportation of the spent fuel via the Valley rail head is critical for the NDA. Closing the road entirely during daylight hours should be avoided, as this would result in re-routing which would require regulatory approval. Magnox would request that a minimum of 1 weeks' notice is provided for any proposal for closure of the road entirely, however this should be an extreme and rare case.</p> <p>The fuel transporter is subject to prearranged timings according to the train schedule. Delay of the transporter should be avoided and should be</p>

	<p>given priority through traffic lights and control both in its outbound and inbound journeys. Magnox are concerned that fencing and any other items could encroach onto the carriageway possibly creating a risk to the transporter.</p> <p>Magnox require prior notice to lane closures and request contact details for the duration of the works. It is recommended that roadworks are subject to an inspection at the start of each working day to ensure any threats to security of the transporter are emitted.</p> <p>Loading in the carriageway and the threat of collapse in the area of excavation is also a concern when taking into account the weight of the transporter. Magnox request that load calculations are reviewed, and that no residual risk of collapse exists. Sufficient width for the vehicle should also be included in the calculation.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <p>(i) The applicant does not anticipate full closure of the A5025 will be required to deliver these works. The intention will be to retain one side of the carriageway open for traffic to pass through the construction works, which would be traffic light controlled. If temporary full closure is required, the applicant will liaise with Magnox and the NDA to ensure it does not affect their off-site operations. This will be done a minimum of 1 week in advance of the proposed closure.</p> <p>(ii) An appropriate arrangement with Magnox will be agreed to ensure effective and efficient movement of the vehicles. The Traffic Safety Control Officer for the highway works will act as the point of contact.</p> <p>(iii) The applicant confirms that it will continue to liaise with Magnox through the construction process to monitor the effectiveness of these arrangements.</p> <p>(iv) The applicant anticipates that a minimum unobstructed carriageway width of 3m will be maintained along the works (in line with Department of Transport Code of Practice) which will allow enough space for the transporter to pass through safely.</p>
--	--

	<p>No response was received from Magnox and the NDA as a result of the re-consultation process at the time of writing this report.</p> <p>With regards to this application, no response was received by the NDA at the time of writing this report.</p>
Cyngor Gwynedd Council	<p>The original response received had no observations to offer.</p> <p>As a result of the re-consultation process a second response was received from Gwynedd Council as neighbouring Authority dated the 6th June, 2018 where it was again confirmed that they had no observations to offer in respect of the application.</p> <p>In respect of this application, Gwynedd Council were consulted but no response was received by the IACC at the time of writing this report.</p>
Cymdeithas Cerddwyr / The Ramblers Association	<p>No response made to previous application and no response to this application at the time of writing this report.</p>
RSPB Cymru / Wales	<p>No response made to previous application and no response to this application at the time of writing this report.</p>
Safonau Masnach / Trading Standards	<p>No response to original consultation.</p> <p>Following the receipt of additional information from the applicant which resulted in a second round of consultation the Trading Standards Department in their response dated the 18th May, stated that there were no issues of relevance within the application with respect to Trading Standards requirements.</p> <p>With regards to this application, a response was received by Public Protection stating that they have no comments to make on this application.</p>
Community Cohesion Co-ordinator	<p>No response made to previous application and no response to this application at the time of writing</p>
Rheolwr Masnachol Hamdden / Commercial Leisure Manager	<p>No response made to previous application and no response to this application at the time of writing this report.</p>
Swyddog Cefn Gwlad a AHNE / Countryside and AONB Officer	<p>In response to the original application, the AONB and Countryside Officer Comments made the following comments:</p> <ul style="list-style-type: none"> <li>In relation to bus shelters it is suggested that high quality, well designed bus shelters are required. Anglesey tends to have a mix of poor</li> </ul>

	<p>quality bus shelter designs. Bus shelters at Llanfair PG's Park and Share should be considered, for their visual appeal, quality materials and good design for rural setting.</p> <ul style="list-style-type: none"> <li>• In relation to boundary treatments it is suggested that hedgerows will improve bio-diversity connectivity.</li> <li>• In relation to the existing cloddiau it is suggested that continuous section of cloddiau would improve landscape features as well as providing habitat for flora and fauna.</li> <li>• In relation to condition 4 relating to temporary office cabins it is suggested to reduce light pollution (dawn, dusk and night) external lighting.</li> <li>• In general terms, the applicant should provide greater certainty in terms of landscape and amenity proposals.</li> </ul> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <p>(i) Valley Community Council will be invited to select a preferred design of bus shelter from a choice of standard IACC designs</p> <p>(ii) The proposed widening of the A5025 in Section 2 includes the widening of verges either side of the existing private means of access (PMA) The verges will be extended to a maximum width of 6m on the inside of the bend to improve the visibility from the PMA and the two field accesses in this location. The junction improvements include the replacement of existing stone walls with mortared stone walls to be set back from the edge of the highway to maintain visibility splays for road safety purposes. This boundary treatment is preferred to the introduction of hedgerow which may impede the sight lines with overgrown vegetation within the visibility splay</p> <p>(iii) In discussion with IACC, the landscape proposals have now been amended to provide a hedgerow in the place of the previously proposed mortared stone wall along the western boundary of the new section of highway at Bytheicws to tie-in with existing features</p> <p>(iv) The proposed widening along Section 6 of the A5025 involves the construction of mortared stone walls which will be set back from the edge of the carriageway to provide sufficient visibility splays at the PMA junction. The boundary treatment is preferred to the use of cloddiau which could impede sight lines with overgrown</p>
--	---



	<p>vegetation. With regards to the regional provenance of plant stock Horizon are currently discussing the potential to gather local seed for the wide Wylfa Newydd Project whilst also limiting plant stock suppliers to north-west wales for the current proposal.</p> <p>(v) Regarding the cabins within the Site Compound, the applicant seeks flexibility in terms of the potential to use double height cabins rather than being limited to single storey structures. The appointed contractor will also be required to prepare a Lighting Strategy for incorporation within the CEMP.</p> <p>No response was received from the Countryside and AONB Section following re-consultation with the applicants' additional information. With regards to this application, no response was received by the AONB and Countryside Officer at the time of writing this report.</p>
Cyfoeth Naturiol Cymru / Natural Resources Wales	<p>In response to the original application, NRW noted the purpose of the proposal being mitigation to predicted impacts of increased traffic associated with proposal of Wylfa Newydd Power Station.</p> <p>NRW advised that consideration should be given as to whether the proposal should be interpreted as part of the wider 'project' proposals, and thus whether assessment should be considering the cumulative, in-combination impacts.</p> <p>NRW stated that IACC would need to make a judgement on the correct approach in respect of the HRA and EIA and should take legal advice as it considers appropriate.</p> <p>NRW's requirements and conditions were as outlined below:</p> <p>Requirement 1 - Detailed plans of the balancing pond at CH.700 in Section 2, including positioning in relation to flood risk areas, and additional information on the impact/effectiveness of the pond at this location to be provided as part of the planning submission.</p> <p>Condition 1: Environmental Management - Detailed Code of Construction Practice (CoCP) to be approved by the local authority, in consultation with NRW</p> <p>Condition 2: Protected Sites - Biosecurity Risk Assessment / Management Plan to be approved by the local authority, in consultation with NRW.</p>

	<p>Condition 3: Protected Species - A scheme to minimise or prevent the incidental capture or killing of European species shall be submitted for the approval of the local planning authority in consultation with NRW. Implementation shall accord with the provisions of the approved scheme</p> <p>Condition 4: Protected Species - Submission and implementation of an approved Ecological Compliance Audit scheme</p> <p>Condition 5: Protected Species - Detailed Great crested newt (GCN) mitigation measures to be approved by the local authority in consultation with NRW</p> <p>Condition 6: Protected Species - Detailed hedgerow translocation methodology to be approved by the local authority in consultation with NRW</p> <p>Condition 7: Protected Species - Detailed otter mitigation measures, including Reasonable Avoidance Measures, to be approved by the local authority in consultation with NRW</p> <p>Condition 8 Protected Species - Detailed water vole mitigation/compensation measures to be approved by the local authority in consultation with NRW. This to include post construction management and surveillance</p> <p>Condition 9: Migratory Fish - Detailed measures to avoid impacts on migratory fish to be approved by the local authority, in consultation with NRW</p> <p>Following the receipt of additional information in response to the Authority's request, which included a Flood Consequences Assessment Technical Note (13th April, 2018) it was confirmed within the applicant's submissions that;</p> <p>(i) There is a clear need for the proposed development to improve the condition of the A5025 between Valley and Wylfa as summarised in the opening paragraphs of the application letter and in section 2.3 of the submitted Environmental Report and paragraphs 8.2.3 and 8.2.4 of the Planning Statement. Notwithstanding the need to bring the proposed development forward as a separate application, the assessment of cumulative effects presented in Chapter 15 of the submitted Environmental Report, has demonstrated that there are no significant impacts as a result of the</p>
--	--

	<p>development taking place cumulatively with other Wylfa Newydd Projects components (intra-project effects).</p> <p>(ii) This issue was considered by IACC as part of the early EIA Screening exercise of the Proposed development and IACC confirmed in its Screening Opinion dated the 7th October, 2017, that the Proposed Development did not constitute EIA development (as set out in 3.2.10 of the submitted Environmental Report). The assessment of cumulative effects is nevertheless presented on a non-statutory basis in Chapter 15 of the Environmental Report.</p> <p>As a result of the re-consultation process a second response was received from NRW on the 6th June, 2018 where it was re-iterated that IACC would need to make a judgement on the correct approach in respect of the HRA and EIA and should take legal advice as it considers appropriate. The response went on to confirm that that their previous requirements have now been met and that planning permission should only be granted subject to the inclusion of their 9 conditions which also formed part of their original response dated the 12th January, 2018.</p> <p>On the matter of Flood Risk it was confirmed that the additional assessment work undertaken by the applicants within the Flood Consequences Assessment Technical Note dated 13th April, 2018 was considered acceptable in addressing any flood risk concerns associated with both balancing ponds at chainage 300.00 and 700.00 within Section 2 on the approach to Llanynghenedl. The response went on to state that the applicants should discuss any future maintenance and surface water discharge requirements with IACC's drainage engineers, as the Lead Local Flood Authority.</p> <p>In respect of this application, NRW noted that they had no objection to the application for the extension of time to implement the consent. Following further consultation on the 21<sup>st</sup> July 2020, NRW confirmed on the 24<sup>th</sup> July 2020, given that nothing has changed in the application their previous advice dated 18<sup>th</sup> May 2020 remains valid.</p>
Cynghorydd Carwyn Jones	
Cyngor Cymuned Mechell Community Council	In response to the original application, the Community Council confirmed that they had no

	<p>objection and welcomed improvements to the A5025 between Valley and the Wylfa site.</p> <p>They realise delays will occur, but have concerns about increased traffic through Llanfechell. They were disappointed with the lack of information and timetable of the application consultation period being over Christmas, impacting on the Community Council's work load and meetings. The Community Council has previously stated their disappointment to the applicant regarding the timetable and lack of information.</p> <p>The Local Planning Authority subsequently contacted Mechell Community Council in an effort to gauge precisely what their concerns were in terms of the lack of information and in an effort to establish precisely what information they believed was missing.</p> <p>However, no response has been received to this request.</p> <p>Following the receipt of additional information in response to the Authority's request the following was confirmed within the applicant's submissions;</p> <p>(i) it is acknowledged that traffic delays are likely during the construction process, which are to be monitored and managed by the appointed contractor. As agreed in response to previous public consultation, the intention is to undertake the highway reconstruction works simultaneously within all four construction areas in Section 2, 4, 6 and 8 to reduce the overall duration of the works and impact on traffic.</p> <p>(ii) The applicant engages regularly with the Community Councils to provide updates on the progress of the Wylfa Newydd Project and related planning applications. The applicant has also offered to attend at Community Council meetings to answer any questions on the proposed development to help inform their responses.</p> <p>No response was received from Mechell Community Council following the re-consultation process at the time of writing this report.</p> <p>No response has been received on this application at the time of writing this report.</p>
Ymgynghorydd Treftadaeth / Heritage Advisor	<p>In responding to the original application, in general there were no mitigation requirements with respect to historic buildings as the effects which are</p>

	<p>identified take place during construction only, and are indirect and minor (with respect to listed buildings).</p> <p>In terms of the Historic Landscape the proposed Level 2 Landscape Survey appears to be sufficient and appropriate. If consent is to be granted then condition should be imposed to require the replanting of hedgerows to replace those lost to development. Additional hedgerow planting, in place of removed post and wire fencing would deliver enhancement. Greater clarity is required over the proposals to translocate hedgerows, particularly the phrase 'where possible'.</p> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that;</p> <p>(i) Additional text has been added to the DALs in paragraph 2.1.5 to expand on the proposals for translocated hedgerows. Generally, hedgerows would be inspected prior to site clearance by the appointed contractor and overseeing party (ecologist, environmental clerk, of works or arboriculturalist). Hedgerows would be chosen for translocation based on criteria such as species richness, density or intactness. Where hedgerows have gaps or plants have been aggressively cut back, it would be of greater benefit to plant new hedgerows along the highway boundary. New post and wire fencing will be provided behind translocated hedgerows for livestock control. Following re-consultation the Authority's Technical Consultants responded on the 25th May, 2018, whereby it was confirmed that:</p> <p>(i) It has been confirmed in paragraph 13.4.20 of the Environmental Report (ER) that there would be 19 sections of important hedgerows removed. Further clarification has also been received which confirms that this will involve the total loss of 1.6km of hedgerow which is important under heritage criteria.</p> <p>(ii) Overall there will be 4km of replacement field boundaries (including hedgerows, stone walls and cloddiau). Overall this supports the conclusions of the ER that the historic landscape will be retained, with loss of field boundaries limited to sections immediately alongside the road and with replacement.</p> <p>(iii) The revised DALs (Paras 2.1.5-2.1.7) provides some additional information on the</p>
--	---

	<p>proposed approach to the translocation or replacement of hedgerows and this appears to be appropriate.</p> <p>The additional information has resolved a slight discrepancy over the number of 'important' hedgerows which would be affected, and provided clarity over the extent and location of 'important' hedgerow loss. The response confirms that overall, the proposed mitigation appears to be acceptable. With regards to this application, no Cultural Heritage response was received by the Local Planning Authority at the time of writing this report.</p>
Gwasanaeth Tai/Housing Services	<p>In responding to the original application, the Housing Service stated that no reference was made to the possible impact on housing within the immediate area identified within the proposal.</p> <p>No assessment / information has been presented with regards to the impact on housing. It is stated that 'up to 125 construction workers being present for 70 weeks' and proposes that 'a high proportion of the construction workers to be employed from the local area,'. If this is not achieved workers would be expected to travel from outside the area and would require accommodation during the construction stage within the immediate area. No mitigation measures are proposed to deal with this risk. The Rapid Health Impact Assessment does not consider housing as part of the proposed development.</p> <p>As no impact assessment has been carried out and the no mitigation measures have been presented to deal with displacement of local families should there be a need to accommodate workers from outside the immediate area. It is not set out what the impacts would be should 125 workers need accommodation within the area. The application should include an assessment of how contractors will be accommodated within the area. Proportion of the workers would be expected to be housed within the area if they area outside the immediate area with a threshold agreed should local families become displaced and additional burden placed on Housing Services due to homelessness.</p> <p>A suggestion for monitoring and mitigation measures was also put forward (to be included within any Section 106 agreement) should local residents become displaced due to workers moving into the private rented sector during the construction stage.</p>

	<p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that;</p> <p>(i) Following the best practice approach set out in the Homes &amp; Communities Agency Additionality Guide which has informed the socio-economic assessment for the Proposed Development, 75% of the workers are expected to be employed from within the Daily Construction Commuting Zone (DCCZ). The remaining 25% are likely to live outside of the DCCZ, who may stay on Anglesey for part of the construction period</p> <p>(ii) If there was increase in the 25% proportion of workers living outside of the local area, this would not have a significant impact upon housing supply with sufficient capacity within the existing supply of visitor accommodation and private rented housing stock to accommodate 31+workers on a short term basis</p> <p>(iii) The displacement of local families to accommodate construction workers is considered extremely unlikely for the reasons set out above.</p> <p>No response was received from Housing Services following re-consultation.</p> <p>With regards to this application, no response was received from the Housing Service at the time of writing this report.</p>
Ymgynghorydd Tirwedd / Landscape Advisor	<p>In responding to the original application, the Landscape Officer raised the following primary points:</p> <ul style="list-style-type: none"> <li>• No assessment on the impacts or in-combination effects between both applications. (A5025 and SPC).</li> <li>• Clarification on the timing of the works required.</li> <li>• Assessment on the condition of existing footpaths.</li> <li>• Signage should be implemented for crossing points following a speed survey of the highway.</li> <li>• Continuity of field boundaries (four locations).</li> <li>• Local provenance should be collected for local seed.</li> <li>• No indication of translocation of hedgerows.</li> <li>• The maintenance period should be 5 years.</li> </ul>

	<ul style="list-style-type: none"> <li>• No detail on hard landscaping.</li> </ul> <p>Additional information and assessments requested include:</p> <ol style="list-style-type: none"> <li>1. Detailed survey of the existing landscape components - stone walls, cloddiau, etc and all footpath routes, surfacing and means of access, including gates, styles, etc. where these would be affected by the works (see suggested Condition 1 below).</li> <li>2. Assessment of the effects on landscape components/elements taking into account the baseline condition, the natural heritage, landscape character and visual amenity value of these elements, and the amounts that will be lost and replaced.</li> <li>3. Assessment of the effects on the statutory purpose of the Isle of Anglesey AONB.</li> <li>4. Assessment of the in-combination effects with the SPC works (if there is likely to be any overlap in the proposed programmes for these two developments).</li> </ol> <p>Following the receipt of additional information in response to the Authority's request it was confirmed within the applicant's submissions that:</p> <ol style="list-style-type: none"> <li>(i) Lengths of hedgerows (including important hedgerows) and trees to be removed are now quantified and their locations illustrated.</li> <li>(ii) Improvements have been made at one of the four locations where boundary enhancements (rather than like for like) was requested. This is along the new section of highway at Bytheicws where a hedgerow is now proposed along the western boundary.</li> <li>(iii) Regional provenance has now been defined as North West Wales.</li> <li>(iv) The applicant confirms that they are discussing the potential to gather local seed and support a nursery to grow stock for the Wylfa Newydd Project.</li> <li>(v) Method proposed for determining whether hedgerows should be translocated.</li> <li>(vi) Landscape maintenance period increased for soft landscaping works from 3 years to 5 years.</li> </ol>
--	--



	<p>The DALs has now been amended such that the main issues raised in its original consultation response have been addressed.</p> <p>With regards to this application, no response was received by the Landscape Officer at the time of writing this report.</p>
North Wales Economic Ambition Board	No response made to previous application and no response to this application at the time of writing this report.

## Relevant Planning History

The planning history for the A5025 section from Valley to the existing Wylfa access road consists of 105 individual applications.

Considering the extensive number of applications, a separate appendix has been prepared and attached at the end of the report (Appendix A).

## Main Planning Considerations

### Is there a Policy Framework that supports the Proposed Development?

It is recognised that this application is not for a Nationally Significant Infrastructure Project itself, but the policy context of National Policy statements EN-1 and EN-6 is a material consideration given the purpose of the application.

The weight of the NPSs needs to be considered in the context of an application submitted in advance of a decision on the Development Consent Order being made.

In analysing the national planning policy position in relation to this application, it is considered that the weight of the National Policy Statements should carry significant weight and be regarded as a significant material consideration.

The UK Government support for the early delivery of a new nuclear power station therefore adds significant in principle support to this application.

At a Welsh Government level, the 10th edition of Planning Policy Wales published in 2019, provides the Land Use planning policies of the Welsh Government, translating the commitment to sustainable development into the planning system so the Government can play an appropriate role in moving towards sustainability and a low carbon economy.

Given its recent revision, the document can be afforded significant weight as an up to date representation of Welsh Government Policy.

At the local level, the statutory development plan for Anglesey comprises is the Anglesey and Gwynedd Joint Local Development Plan (JLDP) (2011-2026). Strategic Policy PS9 of the JLDP recognises the possibility that early works may need to be undertaken to develop the power station. Point 4 of the Policy states that the need for early nuclear work must be justified in order to:

- ensure the timely delivery of the project or

- that it is designed to provide mitigation measures to address the impacts of the construction or operation of the Project.

Other criteria in Policy PS9 apply to the various elements of the planning application as well as national planning policies and guidelines.

The principal justification given by the applicant for supporting the application (in addition to the positive economic benefits, improvements and reconstruction of the highway, and early time benefits) is to address the physical and operational constraints on this stretch of the A5025, in relation to its width, alignment, overtaking opportunities and surfacing condition.

The A5025 On-line Highway Works are part of the enabling works to help facilitate the construction and operation of the Wylfa Newydd DCO Project, which is in the national as well as local interest and which complies with the above policy criteria.

A number of Supplementary Planning Guidance documents have been published by the IACC to further inform development plan policies, the most relevant of which for the project is the Wylfa Newydd SPG (2018).

The Wylfa Newydd SPG recognises the important contribution new nuclear power can make to the UK's energy mix and security of supply and supports the principle of development of a new nuclear power station at Wylfa.

Overall it is considered that development plan policies and guidance notes (which includes the guidance contained within the Wylfa Newydd New Nuclear Build SPG and associated Topic Papers) together with the advice contained within well- established National Policy, are on balance supportive of the proposal. It is therefore considered by the Local Planning Authority that there is a suitable policy framework which supports the principle of the proposed development.

### **Does the proposed development constitute Sustainable Development?**

One of the key aspects of national policy is the emphasis on sustainability. In Wales this is defined to mean; 'enhancing the economic, social and environmental well-being of people and communities, achieving a better quality of life for our own generations in ways which;

- Promote social justice and equality of opportunity; and
- Enhance the natural and cultural environment and respect its limits-using only our fair share of the earth's resources and sustaining our cultural legacy Sustainable development is the process by which we reach the goal of sustainability.'

Critical to achieving the above is the creation of a resilient low carbon economy and the creation of communities where people can live and work. On balance, it is considered that a persuasive case has been made that the economic and social benefits that will accrue from the development together with the environmental safeguards proposed, will positively contribute to these goals.

In terms of its economic credentials, it is acknowledged that the proposed development is a stand-alone application. Chapter 4 of the applicant's Environmental Report demonstrates that for the 66 week duration of the works, it is anticipated that the number of personnel required at peak would be 125 workers. Given that a proportion of the work will be specialist road construction, it is anticipated that some of the skilled labour will need to be sourced from outside the local area. However, based on the best practice approach set out in the Homes & Communities Agency Additionality Guide (Fourth Edition, 2014) which has informed the socio- economic assessment for the Proposed Development, it is expected that 75% (94) of the workers at peak, are expected to be employed from within the Daily Construction Commuting Zone (DCCZ). The remaining 25% (up to 31 workers) are expected to live outside the DCCZ, who may stay on Anglesey for part of the construction period.

While it is not possible to guarantee or formally secure the percentage of workers contracted from the local area, it is highly likely that the contractors will appoint workers local to the proposed works, primarily to take advantage of the locally skilled workforce and to reduce travel and accommodation costs.

In an effort to facilitate this process the IACC Highways Major Projects Team (non-consenting) and the applicant, have worked collaboratively in establishing a Framework Contract for Highways Construction, which enables companies to become part of a 'pool' of potential contractors that can be approached directly by the IACC to bid for work, when required. Three of the four eligible contractors are based in north Wales (two in Gwynedd, one in Denbighshire and one in Manchester).

Local employment is a key priority of the Framework Contract for Highways Construction, which requires the appointed contractor to adhere to the applicant's Supply Chain Charter and to promote contract opportunities within Wales and the local area.

Whilst the following section considers in more detail the environmental credentials of the proposal it will be seen that again the contribution towards sustainable development overall is a positive one.

A pavement evaluation carried out on the A5025 identified substances indicative of the presence of tar in the asphalt layers. Subsequently, chemical testing confirmed this. In order to mitigate the risks associated with tar, it was decided to recycle the existing pavement into Cold Recycled Bound Material (CRBM) as part of the A5025 improvements.

The scheme length is approximately 10km, and it comprises full pavement reconstruction to a depth of 300mm and widening of the existing carriageway. A study was carried out to calculate the total CRBM required for the works. It is expected that the total asphalt arising will be approximately 40,000 tonnes; from which approximately 17,000 tonnes will be handled as tar contaminated materials. The total CRBM needed for the new base layer is approximately 27,850 tonnes; therefore, all tar contaminated asphalt arisings can be recycled into CRBM.

The temporary construction compound also contains a temporary pavement recycling facility. The purpose of this facility would be to process and recycle the excavated pavement arisings, such that these could be reused as part of the proposed development in the form of a base layer in the pavement reconstruction and thereby reduce the need for materials importation and disposal.

Recycling the need for materials and their disposal through this CRBM process for recycling and processing pavements demonstrates that the applicant proposes measures which are deemed sustainable.

As part of the design development process, the applicant concluded that the proposed development should include the provision of a Temporary Construction Compound (TCC) with the overall design (including the temporary pavement recycling facility as mentioned above). The decision to include a TCC was influenced by the need to accommodate the temporary pavement recycling facility close to the proposed works which would significantly reduce the number of vehicle movements.

The TCC site was selected following an optioneering process which was informed by consideration of planning, engineering and logistics, land use and environmental context. The process of optioneering consisted of the following tasks:

- Review of available mapping and aerial photography.
- Analysis of the proposed site boundaries, existing topography, settlement patterns, and their relationships to the A5025 corridor.
- Identification of environmental topics of relevance to the potential sites.

- Identification and mapping of known sensitivities and constraints within deigned areas of search, which could be directly and/or indirectly affected by the construction and operation of the proposed recycling compound.
- Development of criteria, against which each site has been tested and appraised to evaluate their relative advantages and disadvantages from an environmental perspective (Land use; hydrology; landscape and visual; noise; ecology; cultural heritage).

The applicant has demonstrated that the indicative layout of the TCC has been considered and selected as the most suitable location, therefore the LPA accepts that the TCC is in the most sustainable location.

The proposed development has been subject to a process of design evolution informed by public consultation, stakeholder engagement and the iterative environmental assessment. These processes have helped to develop the scope of the A5025 On-line Highway works, the approach to construction, and the refinement of designs to reduce, where practicable, their potential environmental effects.

The applicant and IACC Highways Major Projects Team have jointly developed the engineering design for the Proposed Development.

The location, layout and design of Public Rights of Way (PRoW) diversions and new cycle path connections have been discussed and agreed with the IACC PRoW Officer and Sustrans.

A sustainable drainage design, including measures to minimise flood risk, have been developed with the agreement of IACC Drainage engineers and the advice of NRW, particularly the function and capacity of the attenuation ponds in Section 2 of the Proposed Development and the general drainage arrangement at the rear of Bryn Tirion Terrace in Section 4.

Elements of the Landscape and Visual Impact Assessment and the landscape design, including planting specifications and replacement boundary features, have been informed by discussions with the IACC and NRW. The Local Planning Authority are now satisfied that the issues raised following the initial consultation have been sufficiently addressed such that the sum total of benefits associated with the proposal in terms of landscape are clearly sufficient to outweigh the likely short term impacts.

Policy PS4 of the JLDP states that the Council will support improvements that maximise accessibility for all modes of transport and that this will be achieved by, inter alia, securing convenient access via footways and cycle infrastructure.

The design of the proposed development incorporates the inclusion of facilities to ensure continued accessibility to existing footways and cycle routes. The proposal has incorporated improved access to PRoWs, new crossing locations and sections of surfaced cycle ways as part of the works to connect existing cycle routes that cross the A5025.

This aspect of the proposal is testament to the proposed works accounting for the PPW Edition 10 and the guidance in TAN 18 and TAN 16 which promotes walking, cycling and the use of the PRoW network, thus constituting sustainable development.

Are there any specific environmental or technical constraints that would prevent the development of the highway taking place?

Key issues which were identified are as follows:

### **Drainage**

As part of the development submission the applicant produced a Flood Consequences Assessment which describes the requirements of the drainage design and how these have been assessed. The outcome of the assessment highlighted that in Section 2, 4, 6 and 8 of the proposal there was some risk of fluvial

flooding at river crossings. In Section 2 there are additional fluvial flood risks associated with the crossing of the Afon Alaw floodplain.

The design of drainage has addressed the minor increase in impermeable areas associated to the proposed road widening. The principle of the new infrastructure has been developed to match the existing system, installing new drainage components as required.

In order to manage the risk of flooding, attenuation ponds have been incorporated in Section 2 as well as formal drainage being installed along the roadside where there are none at present. Filter drains have also been incorporated into the design to meet Sustainable Drainage Systems requirements. The applicant has demonstrated that no formal drainage system is necessary for the Temporary Construction Compound, except to prevent over-land flow of any sediment contaminated run-off into adjacent watercourses during intense periods of rainfall.

Following the receipt of additional information from the applicant it was confirmed that the NRW's Flood Risk concerns have subsequently been addressed by way of a Flood Consequences Assessment Technical Note (13th April, 2018) which was prepared in response to the NRW's original concerns. These concerns related to the positioning of a balancing pond in a flood zone.

The additional assessment work undertaken and contained in the submitted note was considered acceptable in addressing any flood risk concerns associated with two new balancing ponds at chainage 300.00 and 700.00 within Section 2 on the approach from Valley to Llanynghenedl.

It is acknowledged that there are additional queries outstanding which have been raised by the Authority's own Technical Services Department which relate to clarification relating to connectivity of the new road gulley and drainage network at chainage 900.00 and the percolation value of the ground in the vicinity of soakaway intended to serve the parking area at Bryn Tirion Terrace within section 4. In the event that these details are not presented to the Authority for consideration prior to the determination of the application it is considered that a suitably framed condition would be appropriate to deal with the matter.

## **Ecology**

In line with Strategic Policy PS 16 and 19 of the JLDP which states that planning authorities should ensure that appropriate regard is given to the relative significance of international, national and local designations in considering the weight to be attached to acknowledged interests, ensuring that international or national responsibilities and obligations are fully met in accordance with National Policy, when determining applications.

The construction of the highway works has the potential to impact on ecological features through loss of habitat through activities such as site clearance, earthworks and excavation, landscaping and the establishment of the Temporary Construction Compound. To ensure that ecological impacts are adequately recorded and addressed the applicant will be required to conduct pre- construction ecological surveys.

The applicant has implemented the following embedded measures within the design of the development to minimise the potential impacts on ecology:

1. Translocation of hedgerows and reuse of stone walling pertinent to each Section.
  2. Application of a 10m buffer around watercourses to avoid potential hydrological connectivity with the development.
  3. Limitation of the clearance of suitable bird nesting habitat outside of the bird breeding season where possible and supervision in instances where the main breeding season cannot be avoided.
- In addition to the above, the applicant also proposes, where possible, to enhance and maintain natural habitats as detailed in the Design Approach and Landscape Strategy (para 2.2.2).

Furthermore, the applicant has also agreed to the imposition of suitably framed planning conditions relating to the appointment of an Ecological Clerk of Works who would be responsible for the preparation and submission of protected species licence applications as well as the CEMP's and implementing improvements in accordance with the approved DALs in response to an appropriate planning condition attached to any grant of planning permission.

## **Highways**

The applicant and IACC Highways Major Projects Team have jointly developed the engineering design for the Proposed Development.

The proposed development has been subject to a process of design evolution informed by public consultation, stakeholder engagement and the iterative environmental assessment. These processes have helped to develop the scope of the A5025 On-line Highway works, the approach to construction, and the refinement of designs to reduce, where practicable, their potential environmental effects.

## **Area of Outstanding Natural Beauty (AONB)**

It is acknowledged that a section of new highway verge traverses within the boundary of the AONB (Section 2). However, the Local Planning Authority is satisfied that the mitigation measures incorporated are sufficient to offset any negative landscape and visual impacts.

The proposals in the area entail the removal of two sections of existing rendered stone wall (along the boundary of the AONB) and their replacement with a new stone wall to the rear of a widened roadside verge which will extend into the AONB and is required to provide better visibility around an existing residential access. The provision of the new stone wall in place of the existing rendered stone wall along this highway boundary is considered to be an enhancement which reflects the fact that the new boundary is within the AONB. These proposals offer benefits to landscape character and amenity both within and adjacent to the AONB.

With respect to measures of landscape component 'loss and replacement' it can also be confirmed that the implementation of the development will, upon completion, result in an overall net gain in terms of replacement meterage for stone walls, cloddiau trees and hedgerows.

What are the impacts on residential amenity?

A development of this scale and nature will inevitably cause some disruption to the amenity of local residents. As demonstrated below the applicant has incorporated measures to ensure that such impacts are mitigated, and where possible resolved.

PPW Edition 10 states that when determining applications relating to transport, accessibility by a range of different transport modes should be taken into consideration. The applicant has demonstrated that the proposal has incorporated sections of surfaced cycle paths to connect the existing cycle routes that cross the A5025.

In accordance with Strategic Policy PS4 in the JLDP, the applicant has prepared the proposal to take into account the possible impact on pedestrian and vehicular traffic matters, PROWs, cycling and accessibility of vehicle access. As far as possible the applicant has limited the effects on PROWs and NCNs and through the CoCP has set out the measures to manage footpath closures and limited the adverse impacts as far as practicable.

To ensure that concerns and queries of the resident communities living in close proximity to the development works are addressed, the applicant states that in line with the CoCP, there will be a dedicated Welsh speaking Community Liaison Officer for the A5025 On-line highway works. This individual will have knowledge regarding the construction and be best placed to address community queries and concerns.

### **What are the transport implications on the highway network during the construction?**

It is anticipated that, as a result of the proposed Works, there will be implications upon the existing transport network during the construction phase of the A5025 On-line Highway Works.

As stated in the Code of Construction Practice submitted as part of the original application, the applicant intends to deliver a series of improvements of the A5025 between Valley and the proposed Power Station Access Road Junction as part of its wider transport strategy, these include:

- Upgrade the route, both in terms of standard of construction and road geometry, such that it can support increased levels of traffic, and improve safety and accessibility;
- Ensure that all relevant abnormal loads can pass along the full length of the A0525;
- Reduce any potential increase in road accidental risk;
- Reduce any adverse impacts on local communities;
- Reduce any adverse impact on the environment; and
- Seek opportunities where possible to achieve improvements for local communities and the environment through road design measures.

The implementation of the Works will largely be within the existing highway boundary and include:

- Improvement of the existing pavement through the application of a surface dressing through Section 1, 3, 5 and 7;
- Reconstruction and localised widening of the existing pavement through Sections 2, 4, 6 and 8;
- Modifications and improvements to existing signage and road markings through Sections 1- 8; and
- The construction of a Temporary Construction Compound (incorporating a temporary pavement recycling facility) within Section 7, immediately adjacent to the A5025.

The Works will be undertaken by an appointed contractor who will be subject to the conditions set out within the CoCP and CEMP.

In addition to the above, the contractor will be required to adopt and develop a CTMP for each phase of the proposed development and will agree the CTMP with IACC.

As stated within the CoCP, in order to manage the impacts of HGV traffic on existing flows, the CTMP will identify a delivery window for construction materials on the A5025. The delivery window is proposed to run from 07:00 to 19:00, Monday to Friday, with restrictions during school start and end times. It is anticipated that deliveries may occasionally be undertaken outside of these times, but they will be limited.

Within the Traffic and Transport Management Strategy the applicant proposes a number of mitigation proposals which seek to minimise disruption to the existing transport network during construction.

Whilst it is recognised that there will be some inevitable disruption as a result of the proposed development, the scale and duration of the works are not expected to present significant in- combination effects upon sensitive receptors, including residents and businesses. As agreed in response to previous consultation exercises the intention is to undertake the highway reconstruction works simultaneously within all four construction areas in sections 2, 4, 6 and 8 to reduce the overall duration of the works and impacts on traffic and associated environmental effects. The effects of the construction process will be monitored and managed by the appointed contractor, with regular liaison with local communities impacted by the works to ensure any issues arising are addressed efficiently.

### **Will there be a change in landscape and visual amenity value as a result of the proposed works?**

While efforts have been made to ensure a minimum impact on the landscape and the visual amenity of boundary treatments, it is inevitable that such works will have some impact on the character and appearance of the landscape.

As outlined in the design approach and landscape strategy that accompanies the application, site clearance is required as part of the widening works for the proposal. Where possible, the applicant intends to retain many of the existing roadside boundary features as these are part of the character of the landscape and also provide valuable wildlife habitat.

However, in some locations, where the road is to be widened or to achieve visibility splays, the works would involve the removal of existing boundary features such as cloddiau, stone walls, hedgerows and fences, and the loss of grass verges and other areas of vegetation.

Therefore, where it is not possible to retain boundary features, these would be either translocated (i.e. dug up and replanted in the new location) or replaced. Where replacement is necessary, the applicant has agreed with landowners that these boundary features would be replaced on a like-for-like basis.

The design of the replacement boundary treatments has been influenced by the surrounding landscape character, in particular the proposed species mixes of each type of planting, the seeding areas and the types of boundary features, such as stone walls and cloddiau.

The proposal for grass verges along the route would be to establish amenity grassland, similar to the existing highway verges and, in some locations, species rich grasslands. All plants and seed mixes would be of regional (North Wales) provenance.

The proposed landscape strategy states that the detailed design and implementation and specific maintenance specification would be a requirement of the contractual agreement with the contractor implementing the scheme. The contractor would thus be responsible for the implementation of the planting and seeding works and the construction of fences, walls and cloddiau, plus the 5 years' maintenance.

At the end of the 5-year maintenance period, handover of the maintenance to IACC would take place. Therefore, the long term maintenance of the landscape strategy, post the contractor maintenance period of 5 years, would be undertaken by the Isle of Anglesey County Council as per the agreement between the applicant and IACC Highways Department.

National and local planning policy requires that new development should be sustainable, demonstrate high quality design, take into account the local context and minimise adverse effects on the natural environment. Additionally, the AONB Management Plan Review 2015 - 2020 requires that development within 2km of the AONB adopts the highest standard of design and ensures the special qualities of the AONB are enhanced. It further sets out that new highway improvements take into account the rural setting of the road.

The applicant states that the landscape character, including within the AONB, has been taken into account in the design-development process. With this in mind the aim has been to embed mitigation measures into the design of the proposed development to improve integration into the receiving landscape and address adverse effects on the natural environment. Special qualities within the AONB have also been considered as part of the mitigation, in order to maintain the current conditions, with a single carriageway in a rural landscape, with hedge, tree, cloddiau, stone and fence boundaries to the adjacent agricultural fields. Key views and visual receptors have been taken into account to minimise visual impacts.

The implementation of the landscape strategy as part of the Online Works would also contribute to the Anglesey Biodiversity Action Plan's objectives for ancient hedgerows, ponds, flower rich road verges, water vole, otter and great crested newts.



In some locations where the visibility splay does not meet the necessary highway requirements, like-for-like replacement of existing vegetation may not be possible. The applicant proposes to replace the vegetation with as close a match to the original as possible. It is also proposed that some hedgerows which are proposed for removal will be translocated.

Approximately 3km of hedgerows would be removed and replaced during site clearance. This can be broken down by section as follows: 0.9km in Section 2; 1.6km in Section 4; 0.3km in Section 6; and 0.2km in Section 8. Of the hedgerows identified in each section above, approximately 0.5km are considered important hedgerow from an ecological perspective which meet the criteria within the Hedgerows Regulations 1997. Although minimal in length, the applicant has proposed mitigation for this loss by translocating these hedges where feasible or improving the overall species diversity of all replacement hedgerows which will provide a long term benefit. On balance, this compensation would result in neutral impact.

It is proposed that native planting of regional provenance will be provided in conjunction with the two attenuation ponds proposed for Section 2 (North of Valley). This will help integrate into the existing landscape and filter views. The proposed planting would be in keeping with local landscape character.

The applicant proposes a period of landscape maintenance after the construction of the proposal which includes monitoring by the appointed contractor's landscape manager. This will ensure successful establishment of seeding and planting. At the end of the maintenance period, handover of the maintenance to IACC would take place as per the agreement of the contract.

## **Conclusion**

The application falls to be determined in accordance with Section 38(6) of the Planning and Compulsory Purchase Act 2004; that is, it is to be determined in accordance with development plan policies unless material considerations indicate otherwise.

In this respect it is considered that National Policy Statements provide a framework that can be used to support the development and that other up to date development plan policies and local guidance notes also provide a similarly supportive context.

It can also be confirmed that there are no technical or environmental reasons that would prevent the highway improvements from being implemented. Furthermore, it is considered that the development constitutes 'sustainable development'.

On balance, it is considered that the development, subject to suitable mitigation measures, will make a positive contribution in helping to develop the economy without causing irreparable harm to the environment or the local community. The proposal will:

- Facilitate Low Carbon Energy Generation sooner than would otherwise be possible.
- Facilitate the delivery of economic benefits in the area and wider region.
- Ensure a less intensive main construction phase for any future nuclear development thus reducing the impacts on the amenities of local residents.
- Result in an improvement to an extensive section of the highway addressing safety concerns and surface conditions, providing a new carriageway pavement with a design life of approximately 20 years and an important legacy for future generations.

It is believed that the information provided with the application, the views and comments received from consultees (and interested parties) together with the other material considerations discussed above provides a persuasive and compelling argument that on the facts of this particular case the development ought to be supported.

The recommendation considers the duty to improve the economic, social, environmental and cultural well-being of Wales, in accordance with the sustainable development principle, under section 3 of the Well-Being of Future Generations (Wales) Act 2015 (the WBFG Act). The recommendation takes into account the ways of working set out at section 5 of the WBFG Act and it is considered that this decision is in accordance with the sustainable development principle through its contribution towards one or more of the Welsh Ministers' well-being objectives set out in section 8 of the WBFG Act.

## **Recommendation**

### **General Conditions**

#### **(01) Time Limit - Commencement of Development**

**The Development and works hereby permitted shall be commenced before the expiration of three years from the date of the original expiration (being the 13th July 2023).**

Reason: In accordance with Section 91(1)(b) of the Town and Country Planning Act 1990.

#### **(02) Pre-commencement**

**Environmental Management- Prior to the commencement of works on site a detailed Code of Construction Practice (CoCP) shall be submitted to and approved by the local planning authority, in consultation with Natural Resources Wales. Implementation shall accord with the provisions of the approved scheme.**

**Protected Sites- Prior to the commencement of works on site a Bio-Security Risk Assessment/Management Plan shall be submitted to and approved by the local planning, in consultation with Natural Resources Wales. Implementation shall accord with the provisions of the approved scheme.**

**Protected Species- Prior to the commencement of works on site an Ecological Compliance Audit Scheme shall be submitted to and approved by the local planning authority. Implementation shall accord with the provisions of the approved scheme.**

**Protected Species- Prior to the commencement of works on site detailed Great Crested Newt (GCN) mitigation measures shall be submitted to the local planning authority in consultation with the Natural Resources Wales. Implementation shall accord with the provisions of the approved scheme.**

**Protected Species- Prior to the commencement of works on site, detailed otter mitigation measures, including Reasonable Avoidance Measures, shall be submitted to and approved by the local planning authority in consultation with Natural resources Wales. Implementation shall accord with the provisions of the approved scheme.**

**Protected Species- Prior to the commencement of works on site detailed water vole mitigation/compensation measures, to include post construction management and surveillance shall be submitted to and approved by the local planning authority in consultation with Natural Resources Wales. Implementation shall accord with the provisions of the approved scheme.**

**Migratory Fish- Prior to the commencement of works on site detailed measures to avoid impacts with migratory fish shall be submitted to and approved by the local planning authority, in consultation with Natural resources Wales. Implementation shall accord with the provisions of the approved scheme.**

Reasons- To prevent disturbance and damage to designated sites and to prevent offences under protected and controlled species legislation and nature conservation policy and guidance.

### **(03) Approved Drawings / Documents**

**The Development and works hereby permitted shall be carried out in accordance with the approved drawings and documents.**

Reason: To ensure that all works are properly implemented and retained.

### **Construction Management**

### **(04) Construction and Environmental Management Plan**

**No development shall commence until a Construction and Environmental Management Plan (CEMP) has been prepared in accordance with the principles set out in the Code of Construction Practice, and submitted to and approved in writing by the Local Planning Authority, in consultation with NRW and other stakeholders. The CEMP will incorporate the following elements:**

- a) **General Site Management Strategy**, which shall include details of the proposed construction works to be carried out to implement the Proposed Development; working hours and delivery windows; site layout of all compounds and construction areas; temporary site lighting; and construction site security measures; site clearance on completion of activities.
- b) **Construction Traffic Management Plan (CTMP)** for each phase of the development, which shall include Temporary Traffic Management (TTM) procedures; details of the construction traffic and Heavy Goods' Vehicle route; working hours and delivery windows; and the appointment of a Traffic Safety Control Officer (see condition 4).
- c) **Public Access Management Strategy**, which shall provide details of the management of Public Rights of Way (PRoW), Private Means of Access (PMAs) and cycle routes, including their access during the construction period. The Strategy shall include details of any necessary closures and/or diversions of PRoWs, to be obtained by means of Temporary Traffic Regulation Orders under the Road Traffic Regulations Act 1984.
- d) **Dust and Air Quality Management Plan**, which shall provide details of the dust control measures to be adopted during the construction process, the dust and air quality monitoring system, monitoring locations and appropriate alert thresholds.
- e) **Noise and Vibration Management Plan**, which shall provide details of the noise and vibration control measures to be adopted during the construction process, the noise and vibration monitoring system, monitoring locations and appropriate alert thresholds.
- f) **Materials Management Plan (MMP)**, which shall provide details of measures and standards of works required to be followed throughout the construction process. The appointed contractor will ensure an appropriately qualified person is employed to review, approve and verify materials management.
- g) **Site Waste Management Plan (SWMP)**, to ensure site waste is described accurately and managed appropriately. The SWMP shall include the most appropriate management route for each type of site waste, available capacity (permitted or exempt), details of compliant waste carriers and waste management companies, their capacities and proximity to the project, provision of an accurate description of any hazardous waste, maintenance of waste transfer or waste consignment records and monthly reporting to IACC.
- h) **Site Drainage** details for compounds, materials/equipment storage areas, construction areas and access tracks, which shall provide details of sustainable methods utilised for discharges including site drainage, surface runoff and dewatering discharges.
- i) **Water Management Strategy**, which shall provide details of working methods to protect surface water and groundwater from pollution and other impacts, including changes to flow, flood storage volume, water levels and water quality.

- j) **Biosecurity Risk Assessment, Method Statement and Management Plan**, which shall provide details of how Invasive Non- Native Species will be identified and eradicated from within the Site and immediate surroundings.
- k) **Ecology and Landscape Strategy**, which shall include details of pre-construction surveys and measures to ensure that ecological survey data is up to date; measures to obtain and comply with the requirements of any protected species licences; and details of the management of landscape features and landscape planting to align with the approaches presented in the Design Approach and Landscape Strategy.
- l) **Welsh Language and Culture Protocol**, which shall provide details of how the relevant Welsh Language Standards Regulations will be incorporated into the construction process, including communication with the public.
- m) **Details of the Temporary Construction Compound**, which shall include information on ground levels and the proposed layout to include drainage and means of vehicular access to the site.
- n) **Details of the Phases and Phasing of the Development**
- o) **Lighting Strategy**, which shall include information with respect to the type of lighting to be provided, baffles, cowls and directional requirements to avoid sensitive locations such as watercourses, hedgerows or buildings. The lighting specification should detail the mechanism to ensure that lighting is switched off when not required for all working areas during the operational phase which would include the temporary construction compounds, set down zones and material processing areas.
- p) **Soil Management**, which shall include a strategy for the transportation, handling, spreading, storage of topsoil and subsoil and information relating to the use of low fertility soils in locations identified for species rich grassland
- q) **Construction Details**, which shall include details for mortared and drystone walls, cloddiau, post and wire fences and gates.

**The development hereby permitted shall be undertaken in accordance with the CEMP approved by the Local Planning Authority under this condition.**

**The CEMP will be updated as and when required to ensure the methods used reflect the changing needs of the works during construction and, for example, any relevant updates to industry guidance or legislation, or as a result of preconstruction. Any updates to the CEMP shall be submitted to and approved in writing by the Local Planning Authority before they take effect.**

Reasons:

To prevent pollution to the land and/or water environment, protect the amenities of local residents and occupiers and to safeguard the natural environment within the Site and its surroundings.

To safeguard the amenities of local residents and occupiers and to safeguard the natural environment within the Site and its surroundings.

To safeguard and mitigate the impacts on a protected species and to avoid offences under the Conservation of Habitats and Species Regulations 2010 (as amended).

In the interests of road safety and amenity of transport and to minimise the impacts of the Development on the highway network.

#### **(05) Traffic Safety Control Officer**

**No works shall commence until a Traffic Safety Control Officer (TSCO) has been appointed. The TSCO shall manage the effective, efficient and safe movement of vehicles throughout the construction process and ensure that these are carried out in accordance with the Construction Environmental Management Plan and any other plan approved under this permission.**

Reason: In the interests of road safety, the amenity of road users and to minimise the impacts of the Development on the highway network.

#### **(06) Ecological Clerk of Works**

**No works shall commence until an Ecological Clerk of Works (ECoW) has been appointed to manage the supervision of site clearance and construction activities during the development to ensure that these are carried out in accordance with the Construction Environmental Management Plan and any other plan approved under this permission.**

Reason: To prevent disturbance and damage to designated sites and to prevent offences under protected and controlled species legislation and nature conservation policy and guidance.

#### **(07) Community Liaison Officer**

**No works shall commence until a Community Liaison Officer has been appointed to liaise and communicate with the public during the construction process. The Public Liaison Officer must be a Welsh speaker (bilingual).**

Reason: To notify occupiers of nearby properties in advance of works taking place and to provide information to the public about the works to be carried out, including the timing and duration of the works.

#### **Hours of Working**

#### **(08) Working Hours**

**No development, works or construction activity, (including Maintenance and Security) other than emergency works: shall take place outside the hours set out below without prior approval from the Local Planning Authority**

Time of week	Construction staff		Office staff (Temporary Construction Compound)
	Summer shift	Winter shift	
Weekday	07:00-19:00	08:00-16:00	09:00-17:00
Saturday	07:00-13:00	08:00-13:00	Not applicable

**There shall be no working outside of these hours, or at all on Sundays and public holidays.**

Reason: To safeguard the amenity of local residents and occupiers.

#### **(09) Delivery Hours**

**No deliveries shall arrive, be received or dispatched from the site outside the hours of 07.00 to 19.00 Monday to Friday and 07.00 to 13.00 on Saturdays and there shall be no deliveries outside these times or at all on Sundays or Bank Holidays unless otherwise agreed in writing in with the Local Planning Authority or unless the applicant has demonstrated to the satisfaction of the Local Planning Authority that there are exceptional circumstances (i.e. emergency works).**

Reason: To safeguard the amenities of local residents and occupiers.

#### **(10) School arrival and departure times**

**No traffic movements associated with the development are to be undertaken on school arrival and departure routes, to include workers arriving or departing from sites, construction traffic routes and deliveries, during the hours of 08:00 to 09:00 and 15:00 to 16:00 on weekdays, unless otherwise agreed with the Local Planning Authority.**

Reason: In the interests of Public Protection and highway safety.

### **Nature Conservation**

#### **(11) Ecological Pre-construction Surveys**

**No works on any Phase of the development hereby permitted shall commence until ecological pre- construction surveys (including surveying for protected species) of that Phase have been undertaken and the results of such surveys have been submitted to the Local Planning Authority and NRW for information.**

Reason: To safeguard protected species.

#### **(12) Protected Species Scheme**

**No works shall commence until a scheme to minimise or prevent the incidental capture or killing of European species has been submitted for the approval of the Local Planning Authority. The development hereby permitted shall be undertaken in accordance with the Protected Species Scheme approved by the Local Planning Authority under this condition.**

Reason: To safeguard Protected Species.

#### **(13) Hedgerow Translocation Method Statement**

**No works in areas identified for hedgerow translocation shall commence until a detailed method statement for the translocation of hedgerows has been submitted to and approved in writing by the Local Planning Authority. The development hereby permitted shall be undertaken in accordance with the Hedgerow Translocation Method Statement approved by the Local Planning Authority under this condition.**

Reason: To safeguard and mitigate the impacts on hedgerows.

### **Landscape Assessment, Mitigation and Management**

#### **(14) Assessment of boundary features**

**No development shall take place until a general scope of the survey and assessment of boundary features to be affected by the construction works in locations where sections of existing footpaths are to be affected by the development has been submitted to and approved by the Local Planning Authority. The agreed scope of the survey and assessment shall be implemented prior to the removal of relevant boundary features.**

Reasons: To safeguard and mitigate the impacts on visual amenity and landscape character.

#### **(15) Landscape Maintenance Plan**

**Within 6 months of the date of the implementation of the development a 5-year Maintenance Plan shall be submitted for approval by the Local Planning Authority. The development hereby permitted shall be undertaken in accordance with the approved Maintenance Plan.**

Reason: To safeguard and mitigate the impacts on visual amenity and landscape character.

### **Cultural Heritage**

#### **(16) Archaeological Watching Brief**

**No ground disturbance works shall commence on any Phase until a specification for the locations and methodology of Watching Brief in respect of archaeology has been submitted to and approved in writing by the Local Planning Authority. All subsequent archaeological work shall be completed in accordance with the approved Watching Brief.**

Reason: To ensure that features of archaeological or architectural importance are recorded before their destruction.

**(17) A detailed report on the archaeological work and findings, as required by condition 15, shall be submitted to and approved in writing by the Local Planning Authority within six months of the completion of the archaeological fieldwork or completion of the development, whichever is the sooner.**

Reason: To allow for the recording of any archaeological remains which may be present on site.

### **Drainage**

#### **(18) Surface Water Drainage Scheme**

**Prior to the commencement of works the applicant will be required to provide outstanding drainage details for the assessment and written approval of the Local Planning Authority, including:**

- **Additional supporting details confirming the viability of the drainage network aspects in the Flood Consequences Assessment.**
- **Soakaway design and construction details.**
- **Design and construction details for the proposed extensions to existing culverts required to accommodate the highway works (to be discussed with the Local Lead Flood Authority (LLFA) prior to submission to the Local Planning Authority for their assessment and written approval).**
- **Confirm ground water levels, to inform the final design for the pond construction in Section 2 through further investigation work.**
- **Finalised shapes and depths of each attenuation pond, confirming their position and invert levels of the outfall structure into adjacent watercourses in Section 2 through topographical survey information.**
- **Detail of porosity tests and subsequent additional filter strips dependent on the success of the tests in Section 2.**
- **Design and construction detail for the surface water drainage system serving the new access/parking area for the properties at Bryn Tirion Terrace in Section 4.**
- **Confirm assumptions made as part of the proposed designs in Section 8.**
- **Confirmation of alternative options available should the submitted proposals not be viable.**
- **Assessment of the existing condition of all outfalls and existing drainage apparatus.**

Reason: To ensure that the proposed drainage details are satisfactory.

### **Additional Highway provisions**

#### **(19) Highway signage and road markings**

Prior to the completion of the construction works, a scheme detailing the appropriate signage and road markings on the approaches to cycle and pedestrian crossing points shall be submitted to and approved in writing by the Local Planning Authority. The development hereby permitted shall be undertaken in accordance with the scheme for signage and road markings approved by the Local Planning Authority under this condition.

Reason: In the interests of highway safety.

#### **(20) Construction Traffic Management Plans**

The developer will be required to submit a full comprehensive and robust Construction Traffic Management Plan (CTMP) for each phase/section for approval before any works commence which detail the following:-

- i. The parking of vehicles for site operatives and visitors
- ii. The loading and unloading of plant and materials
- iii. Storage of plant and materials used for the work
- iv. Wheel washing facilities
- v. Hours and days of operation and the management and operation of construction and delivery vehicles
- vi. The timings of construction traffic movements along the A5025

Reason: In the interest of highway safety

**(21) Prior to the commencement of any works, the developer shall submit for approval a Traffic Management Plan for both the construction and operational phase of the temporary construction compound. The plan(s) shall identify suitable safety measures required to mitigate the increased volume of HGV traffic.**

Reason: In the interest of highway safety

#### **(22) Bilingual highway signage**

**All temporary construction signage and permanent highway signage installed as part of the development shall be provided in Welsh and English.**

Reason: For the avoidance of doubt.

#### **(23) No access to Valley Cemetery**

**The appointed contractor will not be permitted to use or obstruct the vehicular access to Valley Cemetery at any stage during the construction process, or use any facilities within the cemetery including the water supply.**

Reason: In the interests of the amenity of Valley Cemetery and highway safety.

### **Contaminated Land**

#### **(24) Contaminated Land Verification Report**



**Following completion of the A5025 On-line Highway Improvements a Contaminated Land Verification Report shall be submitted to and agreed in writing with the Local Planning Authority.**

Reason: In the interest of Public Protection and to ensure protection of identified sensitive environmental receptors.

### **Monitoring**

**(25) The Local Planning Authority will require prior notification of the appointment of a qualified Traffic Safety Control Officer, Ecological Clerk of Works, and Community Liaison Officer.**

Reason: To assist with monitoring of works.

**(26) The Local Planning Authority will require immediate notification, including details, of any instances of local people being displaced as part of the works.**

Reason: To protect the interests of local work places and residents.

### **Informatives**

1. All tree works required in connection with this planning permission shall be undertaken in accordance with "BS 3998:2010 Tree Work - Recommendations" (December 2010). All works undertaken shall where required have a licence issued by the relevant licensing body pursuant to Regulation 53 of the Conservation of Habitats and Species Regulations 2010 (as amended) (or any Regulations revoking or re-enacting these Regulations) authorising the specified activity/development to go ahead.
2. Adoption of the Section 61 Prior Consent agreements made under the Control of Pollution Act 1974 application process between Horizon and IACC, must afford protection and mitigation for residents and communities bordering the site boundaries. The appointed contractor will be responsible for the preparation and submission of Section 61 Prior Consent application(s) to the IACC for approval.
3. The appointed contractor shall introduce any Temporary Traffic Regulation Orders (TTRO) during construction as necessary, in liaison with IACC (and submit the relevant applications to IACC for approval). The TTROs would cease upon the highway becoming fully operational.
4. The Highways Authority will be utilising Section 59 of the Highways Act 1980 "Recovery of expenses due to extraordinary traffic", to recover compensation for any damage done to the public highway as a consequence of these works.
5. The applicant is advised to apply in writing to the Head of Service for Highways, Waste and Property, Isle of Anglesey County Council, for the necessary consent to temporarily store material on the public highway, as required under Section 171 of the Highways Act 1980.
6. A joint inspection of all laybys will be required between the IACC and Horizon to determine suitability of the existing road surface and agree the extent and specification of resurfacing works required.
7. There are public footpaths and cycle paths that cross the application site. Any diversion, stopping up or amendment would require permission under separate legislation or other provisions and is not granted by this planning permission.
8. This decision notice relates solely to the Town and Country Planning Act 1990 (as amended) and does not purport to grant any approval, which may be required under separate European or UK legislation in relation to protected species. Under the Wildlife & Countryside Act 1981 (as amended) and the Conservation (Natural Habitats &c) Regulations 1994 all nesting birds are protected and the act prohibits disturbance to the birds while they are nesting during the breeding season 1 March - 30 September.

9. This decision notice relates solely to the Town and Country Planning Act 1990 (as amended) and does not purport to grant any approval, which may be required under separate European or UK legislation in relation to protected species. Under the Wildlife & Countryside Act 1981 (as amended) and the Conservation (Natural Habitats &c) Regulations 1994, it is an offence to disturb a bat in its place of shelter, to kill or injure a bat or to damage, destroy or prevent access to its roosting site, whether or not the roost is occupied at the time. If evidence of use by bats is found a licence may be required from the relevant regulatory authority.
10. Wales & West Utilities (WWU) has confirmed that there is an intermediate / high pressure gas main (1050mm diameter), reference HN052 / 01050 (R0390), in proximity to the proposed A5025 On-line Highway Improvements at Valley. WWU has advised that no excavations are to take place above or within 10m of the confirmed position of these mains without prior consultation with WWU. WWU has advised that the contractor would require risk assessment approval before any works commence over the pipeline and a plant protection officer on site at all times whilst working near the pipe, adhering to WWU's specification WW/SP/SSW/22: Safe Working in the Vicinity of Pipelines and Association Installations Operating Above 2 Barg - For Third Parties, June 2013.
11. Safe digging practices, in accordance with HS(G)47 must be used to verify and establish the presence of mains, pipes, services and other apparatus on site before a mechanical plant is used.
12. Any culvert piping of any land drainage ditch or watercourse will require the approval of the Environment Agency under section 23 of the Land Drainage Act 1981.
13. Where the proposed drainage systems involve the installation of new outfall structures, diversions or culvert extensions to an ordinary watercourse, consent for these works will be required from the Lead Local Flood Authority, under Section 23 of the Land Drainage Act 1991.
14. Should any amendments be required to the existing outfall structure into the main river in Section 4, the application may require consent for the works from Natural Resources Wales.
15. Surface water run-off from the roadway should be managed to the equivalent greenfield rate, with sufficient on-site attenuation being provided to comply with the requirements of TAN15 AT Section 4 serving the residential properties at Bryn Tirion Terrace.
16. The proposed development site is crossed by 150mm and 70mm foul rising mains, together with 150mm and 375mm gravity sewers (approximate position marked on Statutory Public Sewer Record). Under Section 159 of the Water Industry Act 1991, Dwr Cymru Welsh Water has rights of access to its apparatus at all times, and as such would require an easement of 3m either side of the centreline of these pipes. Should the proposed development be located within the protection zones of the sewer crossings, there would be a requirement to divert the public sewers, which can be applied for under Section 185 of the Water Industry Act 1991.
17. The applicant is also advised that some public sewers and lateral drains may not be recorded on Dwr Cymru Welsh Water maps of public sewers because they were originally privately owned and were transferred into public ownership by nature of the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011. The presence of such assets may affect the proposal. In order to assist us in dealing with the proposal the applicant may contact Dwr Cymru Welsh Water. Under the Water Industry Act 1991 Dwr Cymru Welsh Water has rights of access to its apparatus at all times.
18. The proposed development is crossed by a trunk and/or distribution watermain (DCWW has provided a list and location plan). Dwr Cymru Welsh Water as Statutory Undertaker has statutory powers to access their apparatus at all times. It may be possible for watermain(s) to be diverted under Section 185 of the Water Industry Act 1991, the cost of which will be re-charged to the developer. The developer must adhere to DCCW's Conditions for Development near Watermain(s) and consult DCWW before any development commences on site.
19. The construction works will be carried out in accordance with the procedures and specifications required by Dwr Cymru Welsh Water, as follows:
  - No structure to be sited within a minimum distance of 3m from centre line of Distribution Watermain and 6m from centre line of Trunk Watermain.

- Adequate precautions are to be taken to ensure the protection of the water main during the course of site development.
- If heavy earthmoving machinery is to be employed, then the routes to be used in moving plant around the site should be clearly indicated. Suitable ramps or other protection will need to be provided to protect the water main from heavy plant.
- The water main is to be kept free from all temporary buildings, building material and spoil heaps etc.
- The existing ground cover on the water main should not be increased or decreased.
- All chambers, covers, marker posts etc. are to be preserved in their present position.
- Access to DCWW's apparatus must be maintained at all times for inspection and maintenance purposes and must not be restricted in any way as a result of the development.

In addition the Head of Service be authorised to add to, remove or amend/vary any condition(s) before the issuing of the planning permission, providing that such changes do not affect the nature or go to the heart of the permission/development.

# ATODIAD A: HANES CYNLLUNIO / APPENDIX A: PLANNING HISTORY

Rhif /No	Cyfeirnod y Cais / Application Ref	Cynnig / Proposal	Lleoliad / Location	Dilyswyd / Validated	Penderfyniad / Determination
1	27C112/LB	Caniatad Adeilad Rhestredig ar gyfer gosod system gwres canolog yn / Listed Building Consent for the installation of a central heating system at	Bryn Glas, Llanfachraeth	20170727	Wedi'i ganiatau gydag amodau / Granted with conditions 07/11/17
2	27C104C	Cais llawn ar gyfer gosod 2 paced trin carthffosiaeth yn / Full application for the installation of 2 package treatment plants at	Bytheicws, Llanfachraeth	20170620	Wedi'i ganiatau gydag amodau / Granted with conditions 15/08/17
3	38C310D/CONS	Ymgynghoriad mwynau a gwastraff yn ymwneud gyda datblygiadau cysylltiedig oddi ar y safle mewn perthynas a'r bwriad / Minerals and waste consultation in respect of the off-site associated developments in respect of	Wylfa Newydd, Cemaes	20160426	Ddim yn y system / Not in system
4	38C310D/CONS	Ymgynghoriad mwynau a gwastraff yn ymwneud gyda datblygiadau cysylltiedig oddi ar y safle mewn perthynas a'r bwriad / Minerals and waste consultation in respect of the off-site associated developments in respect of	Wylfa Newydd, Cemaes	20160426	Ddim yn y system / Not in system
5	18C114	Cais llawn ar gyfer codi anecs yn/Full application for an erection of an annexe	Tyn yr Odyn Llanfechell LL68 0SW	20180213	Ddim yn y system / Not in system
6	29C143	Cais llawn ar gyfer newid yr adeilad allanol presennol i 3 annedd ynghyd a gosod system trin	Bytheicws, Llanfachraeth	20140903	Dim dyddiad yn y system / No date in system

		carthffosiaeth yn / Full application for the conversion of the outbuilding into 3 dwellings together with the installation of a sewerage treatment plant at			
7	27C104	Cais llawn ar gyfer newid yr adeilad allanol presennol i 3 annedd ynghyd a gosod system trin carthffosiaeth yn / Full application for the conversion of the outbuilding into 3 dwellings together with the installation of a sewerage treatment plant at	Bytheicws, Llanfachraeth	20140903	Wedi'i ganiatau gydag amodau / Granted with conditions 19/03/2015
8	27C104A	Cais llawn ar gyfer dymchwel yr estyniad presennol ynghyd ag addasu ac ehangu i greu fflat nain hunan-gynhaliol yn / Full application for the demolition of the existing extension together with alterations and extensions to create a self-contained granny flat at	Bytheicws, Llanfachraeth	27C104A	Wedi'i ganiatau gydag amodau / Granted with conditions 21/11/2014
9	20C300A	Cais i bennu a oes angen caniatad blaenorol ar gyfer dymchwel yr adeiladau allanol presennol yn / Application to determine whether prior approval is required for the demolition of existing outbuildings at	Ty Baner, Treglele	20140903	Datblygiad a ganiateir / Permitted development 18/09/2014
10	27C106/FR	Cais llawn ar gyfer gwaith archwilio'r ddaear fel y gellir gwneud gwelliannau i'r briffordd (A5025) mewn pedwar o leoliadau gwahanol: /	Cyffordd / Junction 3 A55 Y Fali / Valley, Llanfachraeth, Llanfaethlu a/and Cefn Coch	20150612	Wedi'i ganiatau gydag amodau / Granted with conditions 18/09/2015

		Full application for proposed ground investigation works for highway improvements (A5025) at four separate locations:			
11	27C106C/CONS	Ymgynghoriad cyhoeddus yng nghyswllt y gwelliannau arfaethedig i'r briffordd ar yr / Public consultation in respect of the proposed highway improvement on	A5025 Y Fali / Valley i / to Wylfa, Cemaes	20160516	Cyhoeddwyd ymateb / Response issued 26/05/2016
12	27C106D/SCR	Barn sgrinio am Welliannau Priffyrdd A5025 Ar-lein rhwng Y Fali a Cemaes /Screening optionion for A5025 On-line Highways Improvements between Valley and Cemaes	Ynys Mon / Anglesey	20160830	Dim angen Asesiad o'r Effaith Amgylcheddol / EIA not required 07/10/2016
13	20C94E/VAR	Cais o dan Adran 73 i dynnu amodau (07), (08) a (09) (Cod Cartrefi Cynaliadwy), ynghyd a newid amod (01) (amser cychwyn y datblygiad) i adael 3 mlynedd ychwanegol o caniatad cynllunio rhif 20C94D (addasu ag ehangu siop ynghyd a codi dau fflat) yn / Application under Section 37 to remove conditions (07), (08) and (09) (Sustainable Homes Code), and amend condition (01) (development start time) to allow an additional 3 years for planning permission 20C94D (adapt and extend shop and build 2 flats) in	Gorsaf Gwasanaetha u/Service Station, Tregele, Cemaes	20170118	Wedi'i ganiatau gydag amodau / Granted with conditions 10/03/2017
14	29LPA1008D/DIS /CC	Cais i ryddhau amod (05) (cynllun i	Ysgol Rhyd y Llan, Llanfaethlu,	20160706	Rhyddhau'r amod /

		<p>weithredu a darparu trefn cyfyngu dwr) o ganiatad cynllunio 29LPA1008A/CC / Application to discharge condition (05) (provision and implementation of surface water limitations) from planning permission 29LPA1008A/CC</p>	Caergybi, LL65 4PQ		Condition discharged
15	29LPA1008B/CC/DIS	<p>Cais i ryddhau amodau (02) (03) (04) (dwr wyneb, dwr budr a dwr draenio), (05) (cynllun i ddarparu a gweithredu trefn cyfyngu dwr wyneb), (06) (Cynllun Rheoli Traffig), (07) (manylion am ddyluniad ac adeiladwaith troedffrydd cyhoeddus), (08) (cynllun ti / Application to discharge conditions (02) (03) (04) (surface water, foul water and drainage water), (05) (scheme to provide and implement a surface water limitation scheme), (06) (Traffic Management Scheme), (07) (design and construction details of public footways), (08) (landscaping scheme</p>	Rhos Ty Mawr, Llanfaethlu	20160210	Rhyddhau'r amod / Condition discharged
16	29LPA1008C/CC/MIN	<p>Man newidiadau i gynllun sydd wedi ei ganiatau yn flaenorol o dan caniatad cynllunio 29LPA1008A\CC er mwyn lleihau maint yr adeilad ar dir ger / Minor amendments to scheme previously</p>	Rhos Ty Mawr, Llanfaethlu	20160215	Wedi'i ganiatau / Granted 14/03/2016

		approved under planning permission 29LPA1008A\CC as to decrease the sc			
17	29C12H	Cais llawn ar gyfer codi cytiau ci ar dir yn / Full application for the erection of standalone kennels on land at.	Bodowen, Lon Las, Llanrhuuddlad	20160621	Wedi'i ganiatau gydag amodau / Granted with conditions 15/12/2016
18	29LPA1008E/DIS/CC	Cais i ryddhau amod (10) (goleuni allanol) o ganiatad cynllunio 29LPA1008A/CC yn / Application to discharge condition (10) (external lighting) of planning permission 29LPA1008A/CC at	Ysgol Rhyd y Llan, Llanfaethlu	20161109	Ddim ar ffeil / Not on file
19	29LPA1008F/CC/VAR	Cais o dan Adran 73 i ddiwygio amod (10) o ganiatad cynllunio rhif 29LPA1008A/CC (codi ysgol gynradd newydd) er mwyn caniatâu rhywfaint o oleuni i lifo o'r safle dros y ffiniau yn / Application under Section 73 for the variation of condition (10) of plan	Ysgol Rhyd y Llan, Llanfaethlu	20170111	Wedi'i ganiatau gydag amodau / Granted with conditions 03/03/2017
20	29LPA1008G/CC/SCR	Barn sgrinio ar gyfer yr ysgol gynradd a gafodd ei gymeradwyo o dan rhif cais 29LPA1008A/CC gyda newidiadau i amod (10) (goleini) yn / Screening opinion for the erection of a primary school approved under planning application 29LPA1008A/CC with amendmen	Ysgol Rhyd y Llan, Llanfaethlu	20170111	Dim angen Asesiad o'r Effaith Amgylcheddol / EIA not required 30/01/2017
21	20C257A	Cais llawn ar gyfer codi annedd ar dir yn / Full application for the erection of a dwelling on land at	Plot wrth / Plot Adjacent to Ty Baner Tregele	20170220	Wedi'i ganiatau gydag amodau / Granted with conditions 05/04/2017
22	38C310C/CONS	Ymgynghoriad cyhoeddus yng nghyswllt cynigion	Prosiect Wylfa Newydd Project, Cemaes	20160516	Cyhoeddwyd ymateb / Response



		paratoi a chlirio'r safle i'r / Public consultation or site preparation and clearance proposals for			issued 26/05/2016
23	38C310A/SCO	Barn sgopio ar gyfer cynigion paratoi a chlirio'r safle i'r / Scoping opinion for site preparation and clearance proposals for	Prosiect Wylfa Newydd Project, Cemaes	20160209	Wedi darparu SO / SO provided 27/04/2016
24	29LPA1008/CC/S CR	Barn sgrinio ar gyfer codi ysgol gynradd newydd ar dir gyferbyn a / Screening opinion for the erection of a new primary school on land opposite	Rhos Ty Mawr, Llanfaethlu	20141205	Ddim ar ffeil / Not on file
25	38C310F/EIA/EC ON	Gwaith paratoi a chlirio'r safle ar gyfer datblygu gorsaf bwer Wylfa Newydd, yn cynnwys y gweithgareddau canlynol: clirio'r safle (gan gynnwys clirio a rheoli llystyfiant, tynnu ffensys, waliau, giatau, ffiniau caeau, strwythurau presennol (gan gynnwys / Site clearance and preparation work to develop the Wylfa Newydd power station, including the following activities: site clearance (including clearing and managing vegetation, removal of fences, walls, gates, field boundaries, existing structures (including	Wylfa Newydd, Cemaes	20171116	Penderfyniad heb ei gyhoeddi eto / Determination not yet issued
26	29EL1529/E	Cais o dan Adran 37 o'r Ddeddf Trydan 1989 i uwchraddio'r linell 11Kv uwchben i un tair gwifren ynghyd a chodi polyn pren yn	Ysgol Rhyd Y Llan, Llanfaethlu	20170511	Wedi'i ganiatau / Granted

		/ Application under Section 37 of the Electricity Act 1989 to upgrade the existing 11Kv overhead line to a three phase and the			
27	27C106B/DIS	Cais i ryddhau amodau (03) cynllun tynnu gwaith a strwythurau atodol, (04) datganiadau dull a chynlluniau rheoli amgylcheddol, (05) archeolegydd a (07) lliniaru hanesyddol o ganiatad cynllunio 27C106/FR mewn lleoliadau gwahanol yn / Application to discharge conditions (03) removal schedule for ancillary works and structures, (04) method statements and environmental management plans, (05) archaeologist and (07) historic mitigation from planning permission 27C106/FR at several locations at	Y Fali / Valley, Llanfachraeth, Llanfaethlu & Cefn Coch	20151030	Wedi rhyddhau'r amodau / Conditions discharged 23/12/2015
28	49C324	Cais llawn i newid defnydd o cae amaethyddol i maes parcio preifat ynghyd a gwella mynedfa bresennol ar dir gyferbyn a / Full application for the change of use of an agricultural field into a private car park together with the improvement to the existin	Preswylfa, Y Fali / Valley		Wedi'i dynnu'n ol / Withdrawn
29	49C91D/ENF	Cais ol-weithredol ar gyfer addasu ag ehangu ynghyd a chadw pwl/ Retrospective application for alterations and extensions together with retention of a	Ty Gwyn Barns Llanynghenedl Y Fali / Valley	20170220	Wedi'i ganiatau gydag amodau / Granted with conditions 13/04/2017

		pond			
30	27C106A/SCO	Barn sgopio ar gyfer gwelliannau ar hyd y briffordd A5025 rhwng Y Fali a Cemaes / Scoping Opinion for highway improvements along the A5025 between Valley and Cemaes	Ynys Mon\Anglesey	20150703	Wedi darparu SO / SO provided
31	49C2E/FR	Cais llawn ar gyfer codi modurdy 3 bae ar dir yn / Full application for the erection of a 3 bay garage on land at	Preswylfa, Y Fali / Valley	20140728	Ddim ar ffeil / Not on file
32	49C2E	Cais llawn ar gyfer codi modurdy 3 bae ar dir yn / Full application for the erection of a 3 bay garage on land at	Preswylfa, Y Fali / Valley	20140728	Wedi'i ganiatau gydag amodau / Granted with conditions 17/11/2014
33	29C135A/VAR	Cais o dan Adran 73 i diwygio amod (01) (terfyn 5 mlynedd) o caniatad cynllunio rhif 29C135 (addasu ag ehangu) er mwyn ychwanegu terfyn 5 mlynedd arall yn / Application under Section 73 for the variation of condition (01) (5 year limit) from planning permission number 29C135 (alterations and extensions) so as to allow a further 5 year limit at	Tyn Cae, Llanfaethlu	20150224	Wedi'i ganiatau gydag amodau / Granted with conditions 21/04/2015
34	29LPA1008A/CC	Cais llawn i godi ysgol gynradd newydd ynghyd a chreu llwybr cerdded newydd wrth Stad Bryn Llwyd a chreu mynedfa newydd i gerbydau i'r A5025 ar dir gyferbyn a / Full application for the erection of a new primary school together with the creation of a new	Rhos Ty Mawr, Llanfaethlu	20150901	Wedi'i ganiatau gydag amodau / Granted with conditions 19/10/2015

		entrance for vehicles to the A5025 on land opposite			
35	27C106E/FR/EC ON	Cais llawn i wella'r briffordd gyfredol (yr A5025) rhwng y gyffordd ar yr A5 i'r dwyrain o'r Fali at gyffordd y lon i'r Orsaf Bwer arfaethedig mewn wyth o leoliadau gwahanol ynghyd ag ailadeiladu a lledu mewn mannau y pafin cyfredol a gorffenwaith y lon / Full application for improvements to the existing highway (A5025) between A5 East of Valley Junction to the proposed Power Station Access Road Junction at eight separate locations together with reconstruction and localised widening of existing pavement and surface dressing	A5025 rhwng Cyffordd Dwyrain y Fali'r A5 a'r Orsaf Bwer Cemaes / A5025 between A5 East of Valley Junction to Power Station Cemaes	20171207	Y CAIS DAN SYLW / APPLICATION IN QUESTION
36	49C105A	Cais llawn ar gyfer addasu ac ehangu yn / Full application for alterations and extensions at	Glyn Villa, Y Fali / Valley	20160902	Wedi'i ganiatau gydag amodau / Granted with conditions 14/10/2016
37	49C109D/DEL	Cais o dan Adran 73 i dynnu amodau (Cod Cartrefi Cynaliadwy), ynghyd a ddiwygio amodau (06) (manyllion llawn y ffiniau), (07) (manyllion y deunyddiau gorffen allanol) a (08) (manyllion y system draenio) er mwyn cyflwyno gwybodaeth ar ol i ddatblygiad gychwyn / Application under Section 73 to discharge conditions (Sustainable Homes Code), and amend conditions (06) (full details of boundaries),	Abernant, Llanynghenedl	20150910	Wedi'i ganiatau gydag amodau / Granted with conditions 04/01/2016

		(07) (details of external finishing materials) and (08) (drainage system details) to present information after the development begins			
38	49C336	Cais llawn i addasu ac ehangu er mwyn creu swyddfeydd ychwanegol, ystafell aros ac estyniad i'r gweithdy i'r capel gorffwys yn / Full application for alterations and extensions so as to provide additional offices, waiting room and extension to the works	Preswylfa, Y Fali/Valley	20170612	Wedi'i ganiatau gydag amodau / Granted with conditions 19/09/2017
39	27C111	Cais llawn i godi modurdy preifat gyda stordy uwch ben yn / Full application for the erection of a private garage with storage area above at	Cartref, Llanfachraeth	20170609	Wedi'i ganiatau gydag amodau / Granted with conditions 27/07/2017
40	27C107	Cais amlinellol ar gyfer codi annedd gyda'r holl faterion wedi'u cadw'n ol ar dir ger / Outline application for the erection of a dwelling with all matters reserved on land adjacent to	Penrhos Newydd, Llanfachraeth	20150619	Gwrthodwyd / Refused 14/08/2015
41	27C108	Cais llawn i addasu ag ehangu mynedfa gerbydau presennol yn / Full application to alter and extend the existing vehicular access at	Ty Newydd, Llanfachraeth	20150910	Wedi'i ganiatau gydag amodau / Granted with conditions 30/10/2015
42	19C1195/RE/SC O	Barn sgopio ar gyfer y datblygiad cysylltiedig ar y glannau a'r lleoliad tirlenwi ceblau sy'n gysylltiedig a datblygiad arfaethedig Parth Datblygu Llanwol Morlais oddi ar arfordir Caergybi ar rhannau o / Scoping	Caergybi a'r Fali / Holyhead and Valley	20170110	Wedi darparu SO / SO provided

		opinion for the on-shore associated development and cable landfill location in association with the development of the proposed Morlais Tidal Development Zone off the coast of Holyhead on parts of			
43	18C4H	Trosi beudai yn 2 uned gwyliau ac estyniad / Conversion of outbuilding into 2 holiday units and extension	Awelfryn, Allt Cichle, Llandegfan, Porthaethwy / Menai Bridge	20110412	Wedi'i ganiatau gydag amodau / Granted with conditions 09/01/2013
44	49C309	Dymchwel, codi cyntedd yn / Demolition, erection of porch at	1 tai Cyngor, Llanynghenedl	20130121	Wedi'i ganiatau gydag amodau / Granted with conditions 27/02/2013
45	27C23B	Dechrau deunydd arfaethedig LUC / LUC proposed material start 27C23A	Ysgol Gynradd, Llanfachraeth	20130207	Ardystiwyd yn gyfreithiol / Certified lawful 24/09/2013
46	20C265	Gwaith ymchwiliadau tir a chompownd / Ground investigation works and compound	Gorsaf Bwer Wylfa Power Station, Cemaes	20101015	Wedi'i ganiatau gydag amodau / Granted with conditions 01/12/2010
47	38C80D	Adnewyddu 38C80C / Renewal of 38C80C	Wedi'i dynnu'n ol / Withdrawn	20100521	Wedi'i dynnu'n ol / Withdrawn
48	38C80E	Amrywio amod 2 o 38C80C i gad gwaith fel yr oedd wedi'i adeiladu yn / variation of condition 2 of 38C80C to retain works as built at	Groes Fechan, Tregele	20100526	Wedi'i ganiatau gydag amodau / Granted with conditions 14/02/2011
49	20C300	Hysbysiad dymchwel / Demolition notice	Ty Banner, Tregele	20140324	Dim angen cymeradwyaeth ymlaen llaw / Prior approval not required.
50	20C94D	Addasu ac ymestyn a chodi 2 fflat ar y llawr cyntaf yn / alts & exts & erection 2 apartments at first floor at	Gorsaf Betrol Tregele Service Station, Tregele	20110801	Wedi'i ganiatau gydag amodau / Granted with conditions 20/01/2012
51	20C267	Addasu ac ymestyn ynghyd a chodi garej yn / Alt & ext together with erection of garage	Glan Rhyd, Llanfechell	20101208	Wedi'i ganiatau gydag amodau / Granted with conditions

		at			02/03/2011
52	29C135	Addasu ac ymestyn gan gynnwys yr addasiadau i greu llety llawr cyntaf gyda theras to yn / Alterations and extensions including the alterations to create first floor accommodation with roof terrace at	Tyn Cae, Llanfaethlu	20110412	Wedi'i ganiatau gydag amodau / Granted with conditions 12/07/2010
53	29C12G	Dymchwel y sied 'lean to' a'r ystafell haul presennol a chodi sied 'lean to' newydd ynghyd a chodi sied domestig yn / Demolition of the existing lean to shed and conservatory and erection of new lean to shed together with domestic shed at	Bodowen Farm, Llanfaethlu	20110412	Wedi'i ganiatau gydag amodau / Granted with conditions 25/10/2010
54	29C115D & 29C115E/LB	COU adeilad i greu rhan o'r Black Lion yn / COU of building to form part of Black Lion at	Siop Soar, Llanfaethlu	20130307	Wedi'i ganiatau gydag amodau / Granted with conditions 19/07/2013
55	49C308	Cadw COU mewn annedd yn / Retention COU into dwelling at	Capel Hermon, Llanynghenedl	20120810	Wedi'i ganiatau gydag amodau / Granted with conditions 04/12/2012
56	49C91B	Addasiadau yn / Alterations at	Ty Gwyn, Llanynghenedl	20110915	Wedi'i ganiatau gydag amodau / Granted with conditions 08/12/2011
57	29C41F	Trosi i annedd yn / Conversion into dwelling at	Bryn Maethlu	20120516	Wedi'i ganiatau gydag amodau / Granted with conditions 09/07/2012
58	49C301	Amlinellol - tir annedd wrth ymyl / Outline - dwelling land adj to	Bryncoed, Llanynghenedl	20100507	Amser wedi do di ben / Lapsed
59	49C109C	Cais llawn ar gyfer codi annedd a garej a thanc septig yn / Full application for the erection of a dwelling and garage	Lon Deg, Llanynghenedl	20130712	Wedi'i ganiatau gydag amodau / Granted with conditions 08/10/2013

		together with septic tank at			
60	27C54D	Cynllunio llawn ar gyfer 19 carafan statig, gwaith cloddio, plannu coed a phlanhigion a newid defnydd ty allanol yn annedd i'w osod yn / Full planning for 19 static caravans, earth works, tree and hedge planting and change of use of outbuilding to dwelling for let at	Parc Carafanau Dronwy Caravan Park, Llanfachraeth	20110412	Wedi'i ganiatau gydag amodau / Granted with conditions 08/04/2010
61	27C54E/LB	Cydsyniad adeilad rhestredig ar gyfer newid defnydd ty allanol yn anheddau i'w gosod yn / Listed building consent for the change of use of outbuilding to dwellings for let at	Parc Carafanau Dronwy Caravan Park, Llanfachraeth	20110412	Wedi'i ganiatau gydag amodau / Granted with conditions 09/05/2011
62	49C297/AD	Cadw 2 arwydd yn / Retention of 2 signs at	Gorsaf Gwalia Station, Valley	20110406	Wedi'i ganiatau gydag amodau / Granted with conditions 27/05/2010
63	20C235A	Cais llawn ar gyfer codi annedd un llawr ar dir wrth ymyl / Full application for the erection of a single storey dwelling on land adjacent to	Gorsaf Betrol / Service Station, Tregele	20080613	Wedi'i ganiatau gydag amodau / Granted with conditions 29/07/2008
64	20C94C	Cais amlinellol ar gyfer dymchwel y garej presennol ynghyd a chodi dau annedd yn / Outline application for the demolition of the existing garage together with erection of two dwellings at	Gorsaf Betrol / Petrol Station, Tregele	20070614	Wedi'i ganiatau gydag amodau / Granted with conditions 10/01/2008
65	20c257	Codi annedd ar blot wrth ymyl / Erection of a dwelling on plot adj	Ty Baner, Tregele	20090515	Wedi'i ganiatau gydag amodau / Granted with conditions 15/06/2009
66	20C235	Cais llawn i godi annedd a garej, ynghyd a thanc	Ty Baner, Tregele	20060818	Wedi'i ganiatau gydag amodau / Granted with



		septig ar dir wrth ymyl / Full application for erection of dwelling and garage, together with septic tank on land adjacent to			conditions 09/10/2006
67	49C91A	Trosi tai allanol / Conversion of outbuildings	Ty Gwyn, Llanynghenedl	20060208	Wedi'i ganiatau gydag amodau / Granted with conditions 01/02/2007
68	49C283	Addasu ac ymestyn yn / Alterations and extensions at	Tegfa, Llanynghenedl	20070914	Wedi'i ganiatau / Granted 24/10/2007
69	27C94	Addasu ac ymestyn yn / Alterations and extensions at	Madryn, 7 Glanllyn, Llanfachraeth	20090112	Wedi'i ganiatau gydag amodau / Granted with conditions 16/12/2009
70	27C82	Ystafell haul yn / Conservatory at	1 Bont Llwyd, Llanfachraeth	20050112	Wedi'i ganiatau gydag amodau / Granted with conditions 09/02/2005
71	18C4B	Addasu'r fynedfa bresennol, tanc LPG newydd a thriniaeth yn / Alterations to the existing access, new LPG tank and treatment at	Tyddyn Waen, Llanrhuddlad	20060512	Wedi'i ganiatau gydag amodau / Granted with conditions 27/06/2006
72	18C4D/LB	Cydsyniad Adeilad Rhestredig ar gyfer symud lleoli porth, adeiladu / Listed Building Consent for re siting of gateway, construct	Tyddyn Waen, Llanrhuddlad	20060517	Ddim ar ffeil / Not on file
73	18C4E	Codi cyntedd i'r blaen, gan godi estyniad deulawr yn / Erection of a porch to the front, together with erection of two storey extension at	Tyddyn Waen, Llanrhuddlad	20070125	Wedi'i gymeradwyo gydag amodau / Approved with conditions
74	18C4F/LB	Cydsyniad Adeilad Rhestredig ar gyfer codi cyntedd i'r blaen, codi estyniad deulawr ac addasiadau mewnol yn / Listed Building Consent for the erection of a porch to front,	Tyddyn Waen, Llanrhuddlad	20070125	Wedi'i ganiatau gydag amodau / Granted with conditions 12/10/2007

		erection of a two storey extension together with internal alteration at			
75	18C29H	Cais amlinellol i godi byngalo ar dir wrth ymyl / Outline application for the erection of a bungalow on land adjacent to	Ysgoldy Pedair, Llanrhyddlad	20060817	Wedi'i ganiatau gydag amodau / Granted with conditions 15/12/2006
76	18C29J	Cais amlinellol ar gyfer codi dau annedd ar dir yn / Outline application for the erection of two dwellings on land at	Ysgoldy Pedair, Llanrhyddlad	20071116	Wedi'i ganiatau gydag amodau / Granted with conditions 07/01/2008
77	18C29K/DA	Cynlluniau manwl ar gyfer codi dau annedd deulawr ar dir yn / Detailed plans for the erection of two, 2 storey dwellings on land at	Ysgoldy Pedair, Llanrhuddlad	20080128	Wedi'i ganiatau gydag amodau / Granted with conditions 28/02/2008
78	49C159B	Addasu ac Ymestyn / Alt and Ext	1 & 2 Tyddyn Y Gof, Llanynghenedl		Ddim ar ffeil / Not on file
79	49C159B	CODI YSTAFELL HAUL YN / ERECTION OF A CONSERVATORY AT	1 & 2 Tyddyn Y Gof, Llanynghenedl	20050725	Wedi'i ganiatau gydag amodau / Granted with conditions 14/09/2005
80	49C196A	ADDASU AC ESTYNIAD DORMER YN / ALT AND DORMER EXT AT	Hen Gyfnewidfa Ffon / Old Telephone Exchange, Llanynghenedl	20050210	Ddim ar ffeil / Not on file
81	49C9W/AD	Codi 2 arwydd panel wedi'u goleuo yn / Erection of 2 illuminated panel signs at:	Ty Hapus, Y Sgwar, Croesfordd y Fali / The Square, Valley Crossroads	20051024	Wedi'i ganiatau gydag amodau / Granted with conditions 25/11/2005
82	27C71C	Cais amlinellol ar gyfer codi annedd ar dir yn / Outline application for the erection of a dwelling on land at	Penrhos Newydd, Llanfachraeth	20070814	Wedi'i ganiatau gydag amodau / Granted with conditions 07/04/2008
83	27C23A	Codi 5 annedd ynghyd ag addasu'r fynedfa i gerbydau ar dir wrth ymyl / Erection of 5 dwellings together with alterations to the existing vehicular access on land adjacent	Ysgol Gynradd Llanfachraeth Primary School	20050808	Wedi'i ganiatau gydag amodau / Granted with conditions 05/02/2008

		to			
84	27C84	Amlinelliad ar gyfer annedd newydd a thanc septig ar ran o gae yn / Outline for new dwelling and septic tank on part of field at	Tremoelgoch, Llanfachraeth	20050517	Gwrthodwyd / Refused
85	49C272	Addasu ac ymestyn / alt & ext	Hafan, Llanynghenedl	20060508	Wedi'i ganiatau gydag amodau / Granted with conditions 19/06/2006
86	49C267	Caniatad llawn i godi byngalo dormer ynghyd ag adeiladu mynedfa newydd i gerbydau a gosod tanc septig newydd yn / F/P for the erection of a dormer bungalow together with the construction of a new vehicular access and installation of a new septic tank at	Tir wrth / Land adj, Tegfan, Llanynghenedl	20050729	Wedi'i ganiatau gydag amodau / Granted with conditions 21/09/2005
87	29C12F	Addasu ac ymestyn yn / alt & ext at	Bodowen farm, Llanfaethlu	20090528	Wedi'i ganiatau gydag amodau / Granted with conditions 20/07/2009
88	29C115	Newid defnydd tafarn yn ddwy uned breswyl / Change of use of public house into two residential units	Black Lion, Llanfaethlu	20050718	Gwrthodwyd / Refused
89	29C115A/LB	Cais am gydsyniad adeilad rhestredig ar gyfer y newid defnydd / Application for listed building consent for the change of use	Black Lion, Llanfaethlu	20050914	Gwrthodwyd / Refused
90	27C106E/FR/ECON	(Full application for improvements to the existing highway (A5025) between A5 East of Valley Junction to the proposed Power Station Access Road Junction at eight separate locations together with reconstruction and localised widening of	Valley to Cemaes	20171207	Wedi'i ganiatau gydag amodau / Granted with conditions 13/07/2018

		existing pavement and surface dressing, temporary construction compound including temporary pavement recycling facility, creation of 2 attenuation ponds and maintenance access, creation/temporary diversion of cycle routes, creation of alternative parking facilities to mitigate loss of lay by together with other associated works including drainage, boundary treatments, planting, new signage and road markings on the A5025 between Valley and Cemaes			
91	29C115F/LB	Caniatâd Adeilad Rhestredig ar gyfer dymchwel y cyntedd, codi cyntedd newydd ynghyd a gwaith trwsio yn / Listed Building Consent for demolition of the porch, erection of a new porch together with repair works at	Siop Soar, Llanfaethlu	01/08/2018	Caniatáu / Permitted 18/09/2018
92	OP/2018/1	Cais amlinellol ar gyfer codi annedd sydd yn cynnwys manylion llawn am y fynedfa i gerbydau a llunwedd ar dir ger / Outline Application for the erection of a dwelling together with full details of the vehicular access and layout on land adjacent to	Penrhos Newydd, Llanfachraeth	12/02/2019	Caniatáu / Permit 05/09/2019
93	FPL/2019/51	Cais llawn ar gyfer newid defnydd tir yn lle storio agored ar gyfer cerrig sy'n gysylltiedig â'r prif ddefnydd a wneir o'r tir gan yngymerwyr	Preswylfa, Y Fali / Valley	07/03/2019	Caniatáu / Permit 10/06/2019

		angladdau ar dir gyferbyn â / Full application for the change of use of land for open storage of stone material ancillary to the primary use of funeral undertakers on land opposite			
94	DIS/2019/71	Cais i ryddhau amod (04)(Cynllun dirlunio) o ganiatâd cynllunio FPL/2019/51 ar dir gyferbyn a/ Application to discharge condition (04)(Landscaping scheme) of planning permission FPL/2019/51 on land opposite	Preswylfa, Y Fali/Valley	12/07/2019	Amod wedi ei Ryddhau / Condition Discharged 16/08/2019
95	FPL/2019/166	Cais llawn ar gyfer codi sied amaethyddol newydd, creu pwll cribol ynghyd a chreu traciau amaethyddol yn / Full application for the erection of a new agricultural shed, creation of a new slurry pit together with the creation of agricultural tracks at	Ty Hen, Llangynghenedl	24/06/2019	Caniatáu / Permit 15/10/2019
96	DIS/2019/110	Cais i ryddhau amod (03) (Datganiad Dull i ardal rheolaeth planhigol), amod (05)(Datganiad Dull i llygoden y dwr), amod (06)(Mesuriadau osgoad Madfall y Dwr), amod (07)(Asesiad Risg Bioddiogelwch) ac amod (08) (Mynediad/Diogelwch Llwybr Troed) o ganiatâd cynllunio FPL/2019/166 yn /	Ty Hen, Llangynghenedl, Holyhead	22/11/2019	Amod wedi'i Ryddhau yn Rhannol / Condition Partially Discharged 13/12/2019

		Application to discharge condition (03) (Method Statement for Management Planting Areas), condition (05) (Method Statement for Water Voles), condition (06) (Great crested Newt Avoidance Measures), condition (07) (Bio-Security Risk Assessment) and condition (08) (Public footpath Access/Safety detail) of planning application FPL/2019/166 at			
97	FPL/2019/231	Cais llawn ar gyfer codi stabl yn / Full application for the erection of a stable at	Ty Gwyn Barn, Llanynghenedl	16/08/2019	Caniatáu / Permit 11/10/2019
98	LUP/2019/5	Cais am Dystysgrif Datblygiad Cyfreithlon ar gyfer defnydd arfaethedig ar gyfer codi annedd ynghyd a chreu mynedfa newydd i gerbydau ar dir ger / Application for a Lawful Development Certificate for the proposed use for the erection of a dwelling together with the creation of a new vehicular access on land adjacent to	Tegfan, Llanynghenedl	16/01/2019	Caniatáu / Permit 26/03/2019
99	FPL/2019/132	Cais llawn ar gyfer codi annedd ar dir ger / Full application for the erection of a dwelling on land adjacent to	Tegfan, Llanynghenedl	31/05/2019	Tynnwyd yn ôl / Withdrawn
100	FPL/2019/201	Cais llawn ar gyfer codi annedd ar dir ger / Full application for the erection of an dwelling on land	Tegfan, Llanynghenedl	22/07/2019	Caniatáu / Permit 02/10/2019

		adjacent to			
101	FPL/2020/50	Cais Cynllunio Hybrid yn cynnwys cais llawn ar gyfer dymchwel y Garej/Storfa bresennol ynghyd â codi garej/storfa newydd ar gyfer Gwenfa a chaniatâd cynllunio amlinellol ar gyfer codi yn annedd ynghyd â manylion llawn mynedfa i gerbydau yn / Hybrid Planning Application incorporating full application for the demolition of the existing Garage/Store together with erection of new garage/store for Gwenfa and outline planning permission for erection of one dwelling together with full details of vehicular access at	Gwenfa, Llanfachraeth	23/04/2020	Heb Benderfyniad / Not yet determined
102	MAH/2019/14	Mân newidiadau i gynllun sydd wedi ei ganiatáu yn flaenorol o dan caniatâd cynllunio 27C111 er mwyn diwygio maint y garej yn / Minor amendments to scheme previously approved under planning permission 27C111 so as to amend the size of the garage at	Cartref, Llanfachraeth	05/09/2019	Caniatáu / Permit 12/09/2019
103	FPL/2019/278	Cais llawn ar gyfer dymchwel adeiladau ysgol presennol a codi 8 annedd ynghyd a creu mynedfa i gerbydau ar dir yn / Full application for the demolition of existing	Llanfachraeth Primary School, Caergybi / Holyhead	12/12/2019	Caniatáu / Permit 19/02/2020

		primary school buildings in addition to the erection of 8 dwellings together with the construction of a vehicular access on land at			
104	FPL/2020/56	Cais llawn ar gyfer codi annedd ynghyd a creu mynedfa i gerbydau ar dir yn / Full application for the erection of a dwelling together with the construction of a vehicular access on land at	Penrhos Newydd, Llanfachraeth	21/04/2020	Heb Benderfyniad / Not yet Determined
105	DIS/2019/2	Cais i ryddhau amodau (06) (Manylion deunyddiau) (07) (Manylion cau ogwmpas y safle) (12) (Manylion goleuo) (13) (Manylion traenio) o ganiatâd cynllunio 27C54K yn / Application to discharge condition (06) (Material details) (07) (Enclosure details) (12) (Lighting details) (13) (Drainage details) of planning permission 27C54K at	Dronwy Caravan Park, Llanfachraeth	04/01/2019	Amod wedi ei Ryddhau / Condition Discharged 01/04/2019




**Application Reference: FPL/2020/29**

**Applicant:** Cyngor Tref Amlwch Town Council

**Description:** Cais llawn i newid defnydd o dir agored amwynder i fod yn lecyn chwarae i blant ynghyd a gosod cyfarpar chwarae ar dir ger / Full application for the change of use of open air amenity land to be a children's play area together with the installation of play equipment on land adjacent to

**Site Address:** 24 to 99 Maes Llwyn, Amlwch



**Report of Head of Regulation and Economic Development Service (Joanne Roberts)**

**Recommendation:** Caniatáu / Permit

**Reason for Reporting to Committee**

The land subject of the application is Council owned land.

**Proposal and Site**

The application is made for the change of use a vacant parcel of council owned amenity land into a formal children's play area together with the installation of play equipment comprising of a see-saw, basket swing and play tower.

The area of land is located amongst existing dwellings on the Maes Llwyn housing estate in Amlwch.

## Key Issues

The key issues are whether the proposal complies with relevant local development plan policies and the potential impacts of the proposed use on the amenities of neighbouring residential properties.

## Policies

### Joint Local Development Plan

Policy ISA 2: Community Facilities  
Policy PCYFF 2: Development Criteria  
Policy PCYFF 3: Design and Place Shaping  
Policy PCYFF 1: Development Boundaries  
Strategic Policy PS 5: Sustainable Development  
Planning Policy Wales (Edition 10, December 2018)  
Technical Advice Note 16: Sport, Recreational and Open Space (2009)

### Response to Consultation and Publicity

Consultee	Response
Cynghorydd Richard Griffiths	No response at time of writing report.
Cynghorydd Aled Morris Jones	No response at the time of writing the report.
Cynghorydd Richard Owain Jones	No response at the time of writing the report.
Cyngor Tref Amlwch Town Council	No comments as the application is submitted on behalf of the Town Council.
Prifffyrdd a Trafnidiaeth / Highways and Transportation	No comments.

The application was afforded statutory publicity. This was by the posting of personal notification letters on the occupiers of the neighbouring properties. The latest date for the receipt of representations was the 03/07/2020.

At the time of writing the report no representations had been received.

### Relevant Planning History

None.

### Main Planning Considerations

The application is made for the change of use a vacant parcel of council owned amenity land into a formal children's play area together with the installation of play equipment comprising of a see-saw, basket swing and play tower.

The application site is located within the development boundary of the Urban Service Centre of Amlwch and thereby conforms with the provision of policy PCYFF1 of the Joint Local Development Plan (JLDP).

Policy ISA 2 of the JLDP relates to Community Facilities and states that the plan will help sustain and enhance community facilities by granting the development of new community facilities, provided that:

- i. they are located within or adjoining development boundaries or they are located outside development boundaries but within clusters where the proposal will provide an essential facility to support the local community;
  - ii. in the case of new buildings, that the local community's needs cannot be satisfied through the dual use of existing facilities or the conversion of existing buildings;
  - iii. where the proposal is for a facility being relocated, it can be demonstrated that the existing site is no longer suitable for that use;
  - iv. the proposal is of an appropriate scale and type compared to the size, character and function of the settlement;
  - v. the proposal is easily accessible by foot, cycle and public transport
- The provision of new or enhanced multiuse community facilities, including the co-location of healthcare, school, library and leisure facilities in accessible locations will be encouraged.

In relation to this particular proposal, the site is located within the development boundary, is of an appropriate scale and type and is easily accessible by foot, cycle and public transport. Consequently the proposal accords with the provisions of policy ISA 2.

The proposal is also deemed to accord with the provisions of policy PCYFF 2: Development Criteria and it is not considered that the proposed use will give rise to unacceptable impacts upon the amenities of neighbouring properties.

The proposal is also consistent with the objectives of Planning Policy Wales and Technical Advice Note 16 in relation to the provision of recreational spaces and the associated health and well-being benefits afforded by such facilities.

## **Conclusion**

The proposal is considered to be acceptable and accords with relevant local development plan policies and it is not considered that the proposed use gives rise to a significant detrimental impact upon the amenities of neighbouring properties.

## **Recommendation**

**(01) The development shall begin not later than five years from the date of this decision.**

Reason: To comply with the requirements of Section 91(1) of the Town and Country Planning Act 1990 (as amended).

**(02) The development hereby permitted shall be carried out in strict conformity with the details shown on the plans below, contained in the form of application and in any other documents accompanying such application unless included within any provision of the conditions of this planning permission.**

- **Location Plan**
- **Play Equipment Specification**

Reason: To ensure that the development is implemented in accord with the approved details.

The development plan covering Anglesey is the Anglesey and Gwynedd Joint Local Development Plan (2017). The following policies were relevant to the consideration of this application: PCYFF1, PCYFF2, PCYFF3, PS5, ISA2.

In addition the Head of Service be authorised to add to, remove or amend/vary any condition(s) before the issuing of the planning permission, providing that such changes do not affect the nature or go to the heart of the permission/development.